Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.





The Trophies awarded Edwin A. Reeves by the American Peony Society and by the Ohio State Horticultural Society, June, 1913



LAKE VIEW NURSERIES

Catalog and Price List of

Paeonies, Perennials, Trees and Shrubs



HE LAKE VIEW NURSERY is favorably known in and about Cleveland, where we have supplied the local trade with Pæonies, Iris, Perennials and many other kinds of nursery stock for years. Also, by reason of the kind words of our patrons, and the very limited solicitation we have made, our trade is gradually covering a wider field.

So in order to present our stock of Pæonies and other plants, shrubs and trees we grow in a more comprehensive and satisfactory way to those at a distance, we are issuing this, our latest catalogue. In doing so, we assure you, it affords us genuine pleasure to present in the following pages a partial list of the things we grow.

It is well known that we are Pæony Specialists, so for this reason we give these wonderful and popular flowering plants the most prominent place in our modest catalogue. We bestow no less care and conscience, however, in propagating and growing of Iris, Phlox, Hollyhocks, Hemerocallis, and a hundred other Perennials which we grow in a large way in all the popular and valuable varieties. Our department of ornamental trees, evergreens and shrubs is conducted with the greatest care, so that patrons may have every confidence in the name, size and quality of all the stock listed in the following pages.

Our collection of Pæonies consists of over a hundred thousand roots, in more than two hundred varieties, and is recognized by competent Pæony authorities as among the most valuable in the world.

We do not buy plants of others and send them to you, which might result in your getting something different than what you had ordered. We have our own plants, yes, three hundred thousand of them, and the fact that we staged one hundred and seventy choice varieties of Pæonies at the 1913 exhibition of the American Peony Society, and were awarded both the gold medal and silver cup for the many choice varieties shown, is evidence we have the goods.

In Boston, Philadelphia, in fact wherever exhibited, our flowers have always been awarded first prize. At the exhibition of the American Peony Society held in Chicago, June, 1905, our display was the center of attraction among the ten thousand blooms that filled the large Auditorium Banquet Hall and easily won the first prize. Our stock is true to name, and no root is sent out till it has bloomed and its name been verified by comparison with original descriptions.

No business furnishes a better opportunity for dishonest dealings with a confiding public than that of growing and supplying plants. This is due to the fact that the purchaser cannot tell for some months and often years, whether he has been defrauded or not. In no transaction is it so neccessary to be cautious and careful with whom you deal. You can easily be cheated, and you will not know it until it is too late to get much in the way of redress.

Looking back over the twenty-five years we have been supplying plants to our customers, and noting the splendid business that has crowned our efforts, we can but feel that our success is due in large measure to the fact that when we have been unable to supply the varieties ordered we have cheerfully refunded the money. Again, those who have reposed in us the most confidence, such as leaving the selection of the varieties to us, have received most value for their money.

The nomenclature of the Pæony is not well understood by many, and one is apt to get the wrong plant unless he deals with those who are careful to keep the varieties true to original descriptions. If you are interested in this noble and popular plant we shall be glad to hear from you and have no doubt we can furnish you plants that will please you and your friends.

We have given great care to the selection and cultivation of Iris. Those ordering from our nursery may feel confident that their orders will be filled with good plants, true to name. This will be especially appreciated by those wishing varieties of Japan Iris. Imported plants always come mixed, and can only be sorted and named after planting and blooming.

Again we will say to those who may wish to have in their gardens some of the beautiful plants we grow, if you feel we are worthy of your confidence, we shall be pleased to serve you, and that too in a fair and just manner.

Trusting we may merit your patronage, I beg to remain,

Sincerely,

Paeonies

If June had done nothing but give us Roses it would have been enough to have immortalized it as the Flower Month. But Nature is lavish of her gifts to the limit of prodigality. It would take more than a page to even mention the names of the flowers that bloom in June, and it is our purpose here to mention but one.

The Pæony is a close rival of the Rose, either for plantings or for cutting. Its iron clad hardiness, adaptability to varying soils and locations, its wealth of bloom, richness of fragrance, and variety of color, all go to make it a general favorite. So we find it in a single clump by the cottage door, or pleasing variety in the flower garden; in costly and rare varieties in the grounds of the collector, and in extensive plantings in parks and in the grounds of the wealthy.

The rose specialist, however, has an easy time of it compared to the Pæony specialist. The former literally and figuratively has his path strewn with roses. In a few months, by the cutting process, he can multiply a new and popular variety by thousands; and in a couple of years he can flood the market. But the Pæony grower requires years to get even a few roots ready for market. They must be produced by the slow process of root division. New varieties are produced from seed, and require from four to six years from planting before the patience of the planter is rewarded with the first bloom. Then out of hundreds planted but one or two will be worth perpetuating. After this the slow process of division must be employed before the grower can offer even a limited number for sale.

For this reason even the most popular varieties introduced many years ago are still scarce and command a high price. For this reason also, purchasers should send their orders only to growers of undoubted integrity. The high prices which some varieties always command have tempted the cupidity of the unscrupulous, and many ordinary and miscellaneous varieties have been sold as rarer and more expensive kinds. In one way the buying and planting of reliable Pæonies is like buying diamonds or putting money in the bank. The value is there, and with a little intelligent effort, should one desire to do so, they can always be sold for what they cost, or

Do not be disappointed if the blooms the first year after planting are not up to expectations. Many of the finest double varieties will bloom single or semi-double the first year, and will not always attain full perfection until the third year after transplanting.

The Lake View Nursery is on Noble Road at Stop 6, Gates Mills car line. A brick paved street Location connects us with the city. The Euclid Heights Boulevard runs direct to our nursery.

Considering that my nursery is located on high ground, exposed to the bleakest winds that sweep Facilities Lake Erie, it may be assumed that our plants, which are all field grown, are well fitted to thrive in the most trying and exposed situations. A large packing house with ample cold storage cellars enables me to handle and pack your goods in the very best condition.

I am prepared to take your grounds in the rough, grade, drain, prepare, lay out, Landscape Work and plant the same in a way that will please you. My experience enables me to give valuable advice to those who contemplate purchasing suburban home property. Often a serious mistake is made by those unfamiliar with those conditions which render a piece of ground desirable or otherwise for a suburban home site.

Visitors are always welcome at any time and we are glad to have you look over and select your plants when they are in bloom, and when you can better judge what things please you best. The display of choice pæonies the first part of June is worth a trip of many miles to those interested.

Instructions
Six plants supplied at dozen rates. Five per cent off for cash with order. Give name of Express Company in your town. Remit by P. O. Order, Express Money Order, Draft, Check, or Registered Letter. Write name and address plainly. If you wish to trust the selection of varieties to me state number of each color you desire.

Edwin A. Reeves - Nurseryman and Paeony Specialist South Euclid Postoffice, Cleveland, Ohio

Telephones: Eddy 125, Crest 108W



Mr. and Mrs. Reeves among the Japan Iris

| A 1 | O 11 | (D . |
|----------|------------|---------------|
| (-Anaral | COLLACTION | n of Paeonies |
| UCHCIAI | Concur | n or raconics |

| 188 | Achille (Calot, 1855). Light blush pink, with occasional carmine spot. | | year Doz. | 2-ye Each | ear Doz. | 3-year Each |
|------|--|--------|--------------|--------------|-------------|----------------|
| 100 | | | | \$0.75 | | \$1.00 |
| 107 | Strong stem, fine grower | \$U.5U | \$5.00 | \$0.75 | \$1.50 | \$1.00 |
| 167 | Adolphe Rosseau (Dessert & Mechin, 1890). Large, red, semi-double. | | 7.50 | 1.00 | 0.00 | 1.50 |
| 0.0 | Tall, strong grower, one of the best reds in our collection | .75 | 7.50 | 1.00 | 9.00 | 1.50 |
| 60 | Aglae Adanson (Kelway). Flesh guard, yellow petaloids, with rose | | | | | |
| | tuft. Grand | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 70 | Agnes Mary Kelway (Kelway). Light rose guard petals, yellow petal- | | | | | |
| | oids with rose tuft | .75 | 7.50 | 1.00 | | |
| 90 | Alba Sulphurea (Calot, 1860). Cream-white, early, one of the finest | | | | | |
| | whites | .75 | 7.50 | 1.00 | 10.00 | |
| 41 | Albatre (Crousse, 1885). Ivory-white, very large, very double, central | | | | | |
| | petals margined with carmine. One of the grandest white peonies. | 1.50 | 15.00 | 2.00 | 20.00 | |
| 143 | Albert Crousse (Crousse, 1893). Very large, full bloom. Fresh | | | | | |
| 110 | salmon pink, modest grower. One of the finest pinks we have | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 191 | Alexander Dumas (Guerin, 1862). Bright lively pink, marked with | 1.00 | 10.00 | 1.00 | 10.00 | 2.00 |
| 101 | white and salmon. Early; one of the most beautiful Chinese peonies | .30 | 3.00 | .50 | 5.00 | 1.00 |
| 258 | Alexandriana (Calot, 1856). Large flower, strong stem. Bright pink | .00 | 0.00 | .00 | 0.00 | 1.00 |
| 200 | shaded with white and salmon, and very fine sort | .60 | 6.00 | 1.00 | 10.00 | 1.50 |
| 44 | Alsace Lorraine (Lemoine, 1906). Large water-lily shape; very fine. | .00 | _ 0.00 | 1.00 | 10.00 | 1.50 |
| 44 | Cream white. A rare and beautiful sort. Late | 3.00 | | 4.00 | | |
| 29 | Alice de Julvecourt (Pele, 1857). Soft pink, shaded salmon in center, | 3.00 | | 4.00 | | |
| 23 | | .25 | 2.50 | .50 | 5.00 | 1.00 |
| 185 | with carmine spots on the center petals. Early and a free bloomer Alfred de Musset (Crousse, 1885). Fine creamy-white shaded salmon; | .23 | 2.50 | .50 | 5.00 | 1.00 |
| 189 | | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 91 | center blush. One of the choicest varieties | | 5.00 | | | 2.00 |
| | Amalthea (Kelway). Silver flesh, fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 75 | Ambroise Verschaffelt (Parmentier, 1850). Dark purplish-crimson; | 20 | 2.00 | 50 | F 00 | 1.00 |
| 1.00 | very fine, large bloom; late | .30 | 3.00 | .50 | 5.00 | 1.00 |
| 168 | Armand Rosseau (Dessert & Mechin, 1903). Beautiful cup-shaped | 1.00 | 10.00 | 4 50 | 4 2 00 | • • • |
| | bloom, showing stamens in center. Free bloomer, choice sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 37 | Arthemise (Calot, 1861). Very large, bright pink, with salmon; | • | • 00 | | | |
| | strong grower. Late and a free bloomer | .30 | 3.00 | .50 | 5.00 | 1.00 |
| 169 | Asa Gray (Crousse, 1886). Large pale lilac bloom, sprinkled with lilac | | | | | |
| | dots. Free bloomer. Fragrant and a fine variety | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 76 | Atrosanguinea (Calot, 1850). Full, deep, rich red. Old standard sort. | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 186 | Auguste Villaume (Crousse, 1895). Very large blooms of American | | | | | |
| | Beauty shade. Fine for cut flowers | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 127 | Augustin D'Hour (Calot, 1867). Large, bomb-shaped flower. Free | | | | | |
| | bloomer. Medium late. One of the finest reds | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 210 | Aurore (Dessert, 1904). Large, loose, lilac white; center flecked with | | | | | |
| | crimson; stamens conspicuous. A fine sort | 1.50 | 15.00 | 2.00 | 20.00 | 3.00 |
| 248 | Avalanche (Crousse, 1886). Beautiful milk-white with cream center. | | | | | |
| | Touched with carmine. Extra fine | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 51 | Baroness Schroeder (Kelway). Very large, flesh-white to milk-white. | | | | | |
| | Fragrant, strong, tall grower and free bloomer. One of the finest | | | | | |
| | pinks. Mid-season | 2.00 | 20.00 | 2.50 | 24.00 | 3.00 |
| 28 | Beaute Française (Guerin, 1850). Very double, lilac-rose, center | | | | , | 0.00 |
| | marked with carmen. Mid-season, an old but beautiful sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | | • | | | ., | |





Achille

Albatre

| 123 | Beaute de Villecante (Gombault, 1856). Violet-rose, shading to lilac- | 1- | vear | 2-ye | ear | 3-year |
|-------|---|--------|--------|------------|--------|--------|
| | white. Fragrant, medium strong grower, and a free bloomer. | | Doz. | Each | Doz. | Each |
| | Mid-season, a choice variety | \$0.50 | \$5.00 | \$0.75 | \$7.50 | \$1.00 |
| 197 | Belle Douaisienne (Calot, 1861). Large, hydrangea-pink. Flecked | | , | , | | * |
| | with carmine. A very sweet and beautiful flower. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 19 | Berlioz (Crousse, 1886). Very large, bright currant-red. Center | | | | • | |
| | shaded to rose and amaranth. Dwarf grower. Very late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 144 | Boadiceae (Unknown). Delicate white, touched with carmine. Strong | | | | | |
| | grower, healthy foliage; medium late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 170 | Boule de Neige (Calot, 1862). White with sulphur center, inner | | | | | |
| | petals margined with carmine. Dainty and beautiful | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 234 | Buyckii (Guerin, 1840). Symmetrical shaped pink bloom shaded to | | | | | |
| | salmon in the center. Free bloomer | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 121 | Candidissima (Calot, 1856). Rich cream-white, sulphur-yellow center, | | | | | |
| | tinged flesh. Modest grower, and a very dainty bloom. Mid-season. | .75 | 7.50 | 1.00 | 9.00 | |
| 93 | Carnea Elegans (Calot, 1860). Delicate glossy flesh, very attractive. | | | | | |
| | An old but desirable sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 227 | Centripetela Rosea (Terry). Delicate rose color, free bloomer. Fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 69 | Ceres (Verdier, 1860). Large; pale lilac with red flecks on petals. | | | 4.00 | 0.00 | |
| 100 | Fragrant, good | .75 | 7.50 | 1.00 | 9.00 | |
| 123 | Charlemagne (Crousse, 1880). Cream-white; center flesh, shading | | - 00 | | = =0 | 4.00 |
| . 0.4 | to chamois. Large bloom, strong stem; late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 131 | Charles Binder (Guerin, 1860). Choice pink, beautiful and rare. | 25 | 2.50 | F O | F 00 | 1.00 |
| | Fragrant | .25 | 2.50 | .50 | 5.00 | 1.00 |
| 151 | Charles Molier (Unknown). Bright pink, fragrant | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 133 | Charles Verdier (Unknown). Very large. A beautiful lavender with | .25 | 2.50 | .50 | 5.00 | .75 |
| 255 | carmine. A free bloomer; strong grower. Showy and late | .25 | 2.50 | .50 | 5,00 | .15 |
| 200 | center. Very free bloomer. One of the finest peonies we have | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 79 | Clementine Gillot (Crousse, 1885). Deep pink, large and full, with | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 13 | lighter center shading white | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 257 | Comte de Gomer (Calot, 1868). Very rich red. Very full and double. | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 201 | Late, extra fine | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 196 | Comte de Mont Olivet (Kelway.) Beautiful flesh pink, strong grower | 1.00 | 10.00 | 1.00 | 10.00 | 2.00 |
| 100 | and free bloomer | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 140 | Couronne d'Or (Calot, 1873). Very large, ball-shaped bloom. Snow- | .00 | 0.00 | | 1.00 | 1.00 |
| -10 | white with carmine edges on center petals. Strong grower and | | | | | |
| | free bloomer. Grand | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 222 | Crimson Queen (Terry). Fine dazzling crimson. A beautiful sort | .50 | 5.00 | .75 | 7.40 | 1.00 |
| | , | | | | | |





Alfred de Musset

Couronne d'Or

| | | 1-1 | vear | 2-ve | ear | 3-year |
|---|---|--------|--------|--------|--------|--------------|
| | | Each | Doz. | Each | Doz. | Each |
| | Czarina (Kelway). Blush with narrow yellow central petals | \$0.50 | \$5.00 | \$0.75 | \$7.50 | \$1.00 |
| 171 | Decaisne (Guerin, 1852). Large, very double, violet red. Tall, strong | | - 00 | | = =0 | 1.00 |
| 161 | stems. Very vigorous. Late | .50 | 5.00 | .75 | 7.50 | 1.00 1.00 |
| $\begin{array}{c} 161 \\ 134 \end{array}$ | Defiance (Terry). Crimson, free bloomer. Fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 194 | Free bloomer and one of the very good dark red peonies. Mid- | | | | | |
| | season to late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 31 | Delicatissima (Unknown). Light pink; early. Large and fine. Free | .00 | 0.00 | | 1.00 | |
| - | bloomer, fine for cut flowers | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 254 | Directeur Aubry (Crousse, 1897). Light red, showing no stamens. | | | | | |
| | Fine bloomer, quite late. A fine sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 183 | Dorchester (Richardson). Late; light cream-colored pink; very double; | | | | = = = | 4.00 |
| 40 | sweet and fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 49 | Dr. Boisduval (Guerin). Very dark large red flowers. Fine form, with large petals. One of the finest of the red varieties | .75 | 6.00 | 1.25 | 12.00 | 2.00 |
| 105 | Dr. Bretonneau (Guerin, 1850). Lively blush pink, free bloomer. | .13 | 0.00 | 1.20 | 12.00 | 2.00 |
| 100 | Late, and a fine cut flower sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 247 | Dr. Caillot (Verdier, 1856). Bright amaranth red. Very conspicuous | | | | | |
| | bloom. Free bloomer, on long strong stems. Late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 156 | Duchesse de Theba (Unknown). Delicate flesh, white, large broad | | | | | |
| 200 | petals, rose-scented, extra fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 223 | Duc de Wellington (Calot, 1859). Large sulphur-white bloom, fine habit, stamens strong. A good grower and very fragrant | 50 | F 00 | .75 | 7.50 | 1.00 |
| 189 | Duchess de Nemours (Calot, 1856). Beautiful sulphur-white blooms, | .50 | 5.00 | .15 | 1.50 | 1.00 |
| 100 | fading to pure white, beautiful in bud, and a good cut flower sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 35 | Duchesse d'Orleans (Guerin, 1846). Deep showy pink, with violet | .00 | 0.00 | | 1.00 | 1.00 |
| - | tints on center petals. Mid-season to late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 85 | Edith Lyttleton (Shaylor). Large, loose, light pink. Tall, strong | | | | | |
| | grower. Free bloomer, and early | 1.00 | 10.00 | | 15.00 | 2.00 |
| 86 | Edulis Superba (Lemon, 1824). Early, dark pink. Free bloomer. | .30 | 3.00 | .50 | 5.00 | 1.00 |
| 43 | E. G. Hill (Lemoine, 1906). Tyrian rose, large and very showy. Dwarf, | 2 50 | 24.00 | 2.00 | 30.00 | |
| 217 | free bloomer. Extra fine | 2.50 | 24.00 | 3.00 | 30.00 | |
| 217 | bloomer. Ouite late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 250 | Etienne Mechin (Mechin, 1880). Bright cerise, showy and a free | .00 | 0.00 | .10 | | |
| | bloomer. Medium late | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 164 | Etta (Terry). Large, late, rose-pink, excellent sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 66 | Eugene Bigot (Dessert, 1894). Dazzling Tyrian shade with silver | | | | 4 | 2.00 |
| | tipped petals. Rather late. Valued sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| | | | | | | |







Delachei

| | | 1. | vear | 2-vear | 3-year |
|-------------------|--|-----------|-------|--------------|--------|
| 199 | Eugene Reignoux (Dessert). Carmine-pink shading to purple. Stiff | Each | Doz. | Each Doz. | Each |
| 142 | | \$2.00 | 20.00 | \$2.50 24.00 | \$ |
| 142 | Eugenie Verdier (Calot, 1864). Salmon-pink, fading to clear pink or white. Free bloomer. Mid-season; fine | 1.00 | 10.00 | 1.50 15.00 | 2.00 |
| 162 | Euphemia (Terry). Pink, suffused with flesh; vigorous, and free | | | 1.00 10.00 | 2.00 |
| 150 | bloomer | .50 | 5.00 | .75 7.50 | 1.00 |
| 159 | European Model of Perfection (Unknown). Beautiful blush-pink, with chamois center. Rather late. Free bloomer. Very good | .50 | 5.00 | .75 7.50 | 1.00 |
| 45 | Faust (Miellez, 1855). Lavender and flesh color. Rare and fine | .50 | 5.00 | .75 7.50 | 1.00 |
| 120 | Felix Crousse (Crousse, 1881). Large, ball-shaped, brilliant red, | | | | |
| 10 | with ruby center. Very attractive and desirable. Late | .75 | 7.50 | 1.00 10.00 | 1.50 |
| 10 | Festiva (Donkalaer, 1838). Pure white, carmine touched in center, much like Festiva Maxima | .50 | 5.00 | .75 7.50 | 1.00 |
| 1 | Festiva Maxima (Miellez, 1851). Very large, free bloomer, pure white, | .00 | 0.00 | .70 7.00 | 1.00 |
| 0.2 | with carmine touched center. Strong stems. Early | .50 | 5.00 | .75 7.50 | 1.00 |
| 82 | Floral Treasure (Rosenfield, 1900). Fine, large, light pink, very free bloomer, much like Delicatissima. One of the good pinks | .50 | F 00 | 75 750 | 1.00 |
| 87 | Fragrans (Unknown). Dark Tyrian rose color. Center solid; late | .50 | 5.00 | .75 7.50 | 1.00 |
| ٠, | bloomer. Fragrant. Much used for cut flowers | .30 | 3.00 | .50 5.00 | .75 |
| 135 | Fulgida (Parmentier, 1850). Bright magenta-red. Very free bloomer, | 50 | F 00 | Er = *0 | 4 00 |
| 236 | semi-double. Fine for landscape effects. Rather late | .50 | 5.00 | .75 7.50 | 1.00 |
| 200 | large size. Mid-season; a fine sort | .50 | 5.00 | .75 7.50 | 1.00 |
| 95 | Gen. Bedeau (Calot, 1860). Solferino red. Fragrant; strong stems; | | | | |
| 0 | mid-season. Medium sized blooms and a very good sort | .50 | 5.00 | .75 7.50 | 1.00 |
| 8 | Gen. Boisdeffre (Crousse, 1896). Bright amaranth-red. Free bloomer; late; a fine sort | 1.00 | 10.00 | 1.50 15.00 | 2.00 |
| 155 | Gen. Cavignac (Calot, 1858). Bright lilac-pink, shading to pure pink. | 1.00 | 10.00 | 1.50 15.00 | 2.00 |
| 250 | Upright grower; a free bloomer | .50 | 5.00 | .75 7.50 | 1.00 |
| 256 | Gen. Davoust (Crousse, 1898). Rosy carmine, shading to amaranth. Large flowers; free bloomer and a fine sort | 1.00 | 10.00 | 1.50 15.00 | 2.00 |
| 241 | Gen. Dodds (Crousse, 1893). Dark Tyrian rose color, guards mottled | 1.00 | 10.00 | 1.50 15.00 | 2.00 |
| | green, with white petals in center. Tall, vigorous grower; free | | | | |
| 100 | bloomer; late | | 10.00 | 1.50 15.00 | 2.00 |
| $\frac{193}{252}$ | Gen. Grant (Terry). Dazzling crimson, double, strong grower Germaine Bigot (Dessert, 1902). Blush rose with center petals | .50 | 5.00 | .75 7.50 | 1.00 |
| 202 | flecked with carmine. Strong, upright grower. Free bloomer; | | | | |
| | mid-season. Valuable | | 20.00 | 2.50 24.00 | 3.00 |
| 152 | Gismonda. Fine late pink; free bloomer. Very scarce | 1.00 | 10.00 | 1.50 15.00 | 2.00 |
| | | | | | |





Delicatissima

Dorchester

| 212 | Gloire de Charles Gombault (Gombault, 1866). Flesh pink. Center | | year | | ear | 3-year |
|-----|--|--------|-------|-----------|---------|--------|
| | petals shading to salmon and apricot. Center tuft striped with | Each | Doz. | Each | Doz. | Each |
| | carmine. A very fine and attractive bloom. Medium late | \$1.00 | 10.00 | \$1.50 \$ | \$15.00 | \$2.00 |
| 12 | Gloire de Chenonceaux (Mechin, 1880). Very large, satin pink, tinted | | | | | |
| | with white, upright grower and fine sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 83 | Golden Harvest (Rosenfield). Outer petals lilac-rose, center cream- | .00 | 0.00 | | 1.00 | 1.00 |
| 00 | | | | | | |
| | white, with pink. Strong, vigorous grower. Very free bloomer. | | F 00 | | F F0 | 1.00 |
| | Much like Jeanne d'Arc. A fine sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 222 | Goliath (Hollis). Tyrian rose, clear color, petals silver tipped. Fra- | | | | | |
| | grant. Mid-season, very large and a good sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 40 | Grandiflora (Richardson, 1883). Rose-white, very fragrant; tall, vig- | | | | | |
| | orous grower. One of the last to bloom. Very valuable sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 78 | Grandiflora Carnea Plena (Lemon, 1824). Flesh pink shading to lilac. | | | | | |
| | Good bloomer; beautiful bud, very early and fine for cut flowers | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 172 | Grandiflora Nivea Plena (Lemon, 1824). Very large, cream-white. | .00 | 0.00 | ••• | | ••• |
| 112 | with delicate shading of salmon. Fragrant. Upright grower; free | | | | | |
| | | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 0.0 | bloomer; very early. A grand sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 98 | Grover Cleveland (Terry). Beautiful crimson, strong, vigorous grower; | | | | | 2.00 |
| | free bloomer. Late | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 16 | Henry Demay (Calot, 1866). Purplish-violet with white reflects. A | | | | | |
| | free bloomer. Mid-season. Extra fine sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 180 | Henri Murger (Crousse, 1895). Color of the Paul Nevron rose. Free | | | | | |
| | bloomer, large and a fine sort. Late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 181 | Henry Woodward (Richardson). Pale lilac-rose, medium height; a | | | | | |
| | free bloomer. Very late. A rare and beautiful variety | 1.50 | 15.00 | 2.00 | 20.00 | 3.00 |
| 21 | Humei Carnea (Guerin, 1856). Large, late, pure pink; fragrant. A | 1.00 | 10.00 | 2.00 | 20.00 | 0.00 |
| | strong grower; good cut flower sort | 30 | 3.00 | .50 | 5.00 | .75 |
| 145 | James Kelway (Kelway). Flesh white, changing to pure white. Strong | .00 | 0.00 | .00 | 0.00 | |
| 140 | grower, free bloomer; large and early. A grand sort | 2.00 | 20.00 | 2.50 | 24.00 | |
| 108 | Jeanne d'Arc (Calot, 1858). Blush-pink with silver and white, pure | 2.00 | 20.00 | 2.00 | 21.00 | |
| 100 | pink center petals, marked with carmine. Very fragrant; very free | | | | | |
| | bloomer. Mid-season. A splendid sort | 50 | 5.00 | 75 | 7.50 | 1.00 |
| 90 | bloomer, Mid-season, A spiring sort. | .30 | 3,00 | .13 | 1.50 | 1.00 |
| 38 | Jennie Lind (Barr & Sons). Large hydrangea-pink bomb-shaped | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| | bloom; mid-season; fine for cut flowers | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 53 | Kelway's Queen (Kelway). Blush-pink; a delicate and lovely sort; | 2.00 | 20.00 | 0.50 | 04.00 | 2.00 |
| 256 | very sweet. Late. A rare sort. | 2.00 | 20.00 | 2.50 | 24.00 | 3.00 |
| 253 | La Coquette (Guerin, 1861). Bright rose with buff and pink center. | =0 | F 00 | | = =0 | 4 00 |
| | A fine upright grower and free bloomer. Late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | | | | | | |





Edulis Superba.

Festiva Maxima.

| | | 1 - | year | 2- y ea | ar | 3-year |
|-----|---|--------|-------|----------------|-------|--------|
| 6 | La Fiancee (Dessert, 1902). White with showy yellow stamens, fra- | | | Each | Doz. | Each |
| | grant and a free bloomer. One of the first to bloom | \$1.00 | 10.00 | \$1.50 \$1 | 15.00 | \$2.00 |
| 55 | Lady Beresford (Kelway). Soft flesh-pink, fine habit, strong grower; | | | | | - 00 |
| 0.0 | free bloomer | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 68 | Lady Bramwell (Kelway). Same as Dr. Bretoneau; dull pink center, | 20 | 2.00 | F O | r 00 | 75 |
| 262 | tipped with cream-white, with occasional carmine flecks | .30 | 3.00 | .50 | 5.00 | .75 |
| 262 | La Lorraine (Lemoine, 1901). Fine, large; creamy-white; free bloomer. A very rare and choice sort | 5.00 | | 7.50 | | |
| 24 | La Martine (Calot, 1860). Soft lilac-rose, with darker center, outer | 5.00 | | 1.50 | | |
| 24 | petals fading to white. Fragrant; free bloomer; mid-season. A | | | | | |
| | beautiful sort | .75 | 7.50 | 1.00 | 10.00 | 2.00 |
| 57 | Langport Queen (Kelway). A beautiful rosy blush, suffused with | .,, | 7.00 | 1.00 | 10.00 | 2.00 |
| | pink. Very fine, and fragrant | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 153 | Larein. Satiny-pink shading to lilac; large, full, free bloomer. Late. | | | | | |
| | A rare sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 173 | La Perle (Crousse, 1885). Soft flesh pink, with a satiny border. Per- | | | | | |
| | fectly formed flower, very dainty, beautiful and desirable | .75 | 7.50 | 1.25 | 12.00 | 2.00 |
| 174 | La Rosiere (Crousse, 1888). Cream-white, a large and well built | | = F0 | 1.00 | 10.00 | 2.00 |
| 99 | flower. Very striking. Late | .75 | 7.50 | 1.00 | 10.00 | 2.00 |
| 22 | La Tulipe (Calot, 1872). Very large, loose bloom, on strong, long stems. Delicate cream-white. Center petals marked with carmine. | | | | | |
| | Carmine marked guard petals. Late. A free bloomer and fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 128 | La Vestale (Calot, 1870). White, with yellow at base of petals. Very | .50 | 3.00 | .10 | 7.50 | 1.00 |
| 120 | free bloomer. A striking sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 100 | L'Eclatante (Calot, 1860). Dazzling red. Strong grower; mid-season. | | | | | |
| | Fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 206 | L'Etincelante (Dessert). Bright carmine with golden stamens at | | | | | |
| | center. Very showy and beautiful | .75 | 7.50 | 1.00 | 10.00 | 2.50 |
| 9 | L'Indespensable (Unknown). Lavender-white shading to rose at cen- | | | | | |
| | ter. Buds slow to open. Tall, strong grower; early. A fine sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 141 | Livingston (Crousse, 1879). Very large and beautiful. Soft rose- | .75 | 7 50 | 1.00 | 10.00 | 1.50 |
| 264 | pink; long strong stems; late. One of the finest pinks | .15 | 7.50 | 1.00 | 10.00 | 1.50 |
| 204 | Lord Roseberry (Barr). Beautiful pink, shading to blush; free bloomer. Extra fine | 1.50 | 15.00 | | | |
| 116 | Louise D'Estrees (Verdier, 1855). Violet-rose; fragrant. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 238 | Louis Van Houtte (Calot, 1867). Bright red. Free bloomer, on strong, | .50 | 0.00 | .75 | 1.00 | 1.00 |
| 200 | upright stems. Late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 213 | Lucie Malard (Crousse, 1879). Soft lilac-pink with a salmon border. | .00 | 0.00 | .70 | 7.00 | 1.00 |
| 210 | Very double and a free bloomer; fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | , | | | | | |







Grandiflora Nivea Plena.

| Magnifica (Kelway) Delicate pink, changing to blush Large, full, and a free bloomer So.50 So.00 So.70 So | | | 1- | year | 2-y€ | ear | 3-year | |
|--|-----|--|--------|-------|--------|--------|--------|--|
| and a free bloomer | 15 | Magnifica (Kelway). Delicate pink, changing to blush. Large, full, | Each | Doz. | Each | Doz. | | |
| Mard L. Richardson (Hollis). Pale lilac-rose with lighter center. Fragrant; tall, strong grower; free bloomer, and late | | and a free bloomer | | | \$0.75 | \$7.50 | \$1.00 | |
| Fragrant; tall, strong grower; free bloomer, and late. | 103 | Maud L. Richardson (Hollis). Pale lilac-rose with lighter center. | | | | | | |
| stems; free bloomer and very late. Striking sort | | Fragrant; tall, strong grower; free bloomer, and late | 2.50 | 24.00 | 3.50 | 30.00 | 5.00 | |
| Stems; free bloomer and very late. Striking sort . | 17 | | | | 0.00 | 00.00 | ••• | |
| 42 Marguerite Gerard (Crousse, 1892). Pale hydrangea-pink, fading to nearly white. Center petals dotted with carmine. Strong grower, free bloomer; late. Extra fine | | stems: free bloomer and very late. Striking sort | .50 | 5.00 | 75 | 7.50 | 1.00 | |
| nearly white. Center petals dotted with carmine. Strong grower, free bloomer; late. Extra fine | 42 | | .00 | 0.00 | | 7.00 | 1.00 | |
| 1.00 10.00 1.50 15.00 2.00 | | | | | | | | |
| Marie Calot, 1868). Lavender-white, fading to pure white, showing golden yellow stamenoids. Very tall and a free bloomer. Late | | | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| Solution Stamenoids Stame | 11 | | 1.00 | 10.00 | 1.00 | 10.00 | 2.00 | |
| Marie Crousse (Crousse, 1892). Pale lilac-rose on tall, strong stems. A free bloomer. Mid-season. Extra fine | | | 75 | 7.50 | 1.00 | 10.00 | 1.50 | |
| A free bloomer. Mid-season. Extra fine | 115 | | .,, | 1.00 | 1.00 | 10.00 | 1.00 | |
| Marie Jacquin (Verdier). Rose-white fading to lilac-white, petals incurved. Conspicuous yellow stamens in center. Distinct and beautiful variety7.501.0010.002.00Marie Kelway (Kelway). Blush-pink; yellow petaloids; sweet scented. Very fine7.57.501.0010.002.00Marie Lemoine (Calot, 1869). Large, silver-white, on strong stems of medium height. Very late. A fine variety.7.57.501.0010.002.00Marie Louise (Calot, 1857). Light violet-rose with silver tips. Midseason; choice variety.8.508.508.508.757.501.0010.002.00Marmontel (Crousse, 1898). Light violet-rose, petals tipped with silver; strong, erect stems. Late.8.101.0010.001.5015.002.00Masterpiece (Kelway, 1895). Bright Tyrian rose; tall grower; free bloomer; fragrant and beautiful. Mid-season.1.0010.001.5015.002.00Mighon (Lemoine, 1908). Soft rose changing to rich cream. Large flowers of beautiful form; very fragrant. Extra fine.3.005.00Mikado. Dark crimson petals encircling a cushion of golden petaloids. Very free bloomer. Rare and beautiful. Found in Japanese gar- | 110 | | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| incurved. Conspicuous yellow stamens in center. Distinct and beautiful variety | 227 | | 1.00 | 10,00 | 1.50 | 15.00 | 2.00 | |
| beautiful variety | 231 | | | | | | | |
| 47Marie Kelway (Kelway). Blush-pink; yellow petaloids; sweet scented. Very fine | | | 75 | 7.50 | 1.00 | 10.00 | 2.00 | |
| Very fine | 47 | | .10 | 7.50 | 1.00 | 10.00 | 2.00 | |
| 64 Marie Lemoine (Calot, 1869). Large, silver-white, on strong stems of medium height. Very late. A fine variety | 41 | | 75 | 7.50 | 1.00 | 10.00 | 2.00 | |
| of medium height. Very late. A fine variety | 61 | Maria Lamaina (Calat 1860) Large silver-white on strong stems | .10 | 7.00 | 1.00 | 10.00 | 2.00 | |
| 96 Marie Louise (Calot, 1857). Light violet-rose with silver tips. Midseason; choice variety | 0.1 | of medium height Very late A fine variety | 75 | 7.50 | 1.00 | 10.00 | 2.00 | |
| season; choice variety | 96 | | .,, | 1.00 | 1.00 | 10.00 | 2.00 | |
| 114 Marie Stewart (Calot, 1856). Flesh pink fading to white at base of petals. Tall grower, free bloomer, with a pleasing fragrance. A fine variety. Mid-season | | | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| petals. Tall grower, free bloomer, with a pleasing fragrance. A fine variety. Mid-season | 114 | | | | | | | |
| fine variety. Mid-season | | | | | | | | |
| 149 Marmontel (Crousse, 1898). Light violet-rose, petals tipped with silver; strong, erect stems. Late | | | .75 | 7.50 | 1.00 | 10.00 | 2.00 | |
| silver; strong, erect stems. Late | 149 | Marmontel (Crousse, 1898). Light violet-rose, petals tipped with | | | | | | |
| bloomer; fragrant and beautiful. Mid-season | | silver; strong, erect stems. Late | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| 240 Meissonier (Crousse, 1886). Large, full blooms. Bright purple- amaranth, with deep crimson center. A fine color. Late | 58 | Masterpiece (Kelway, 1895). Bright Tyrian rose; tall grower; free | | | | | | |
| amaranth, with deep crimson center. A fine color. Late | | | , 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| 184 Midnight (Hollis). Beautiful dazzling red. Stems distinctly red, and a free bloomer. A rare sort | 240 | | | | | | | |
| a free bloomer. A rare sort | | | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| Mignon (Lemoine, 1908). Soft rose changing to rich cream. Large flowers of beautiful form; very fragrant. Extra fine | 184 | Midnight (Hollis). Beautiful dazzling red. Stems distinctly red, and | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| flowers of beautiful form; very fragrant. Extra fine | 220 | a free bloomer. A rare sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| 4 Mikado. Dark crimson petals encircling a cushion of golden petaloids. Very free bloomer. Rare and beautiful. Found in Japanese gar- | 239 | Mignon (Lemoine, 1908). Soit rose changing to rich cream. Large | 2.00 | | E 00 | | | |
| Very free bloomer. Rare and beautiful. Found in Japanese gar- | | Mileda Dark orimoon potals engineling a sughian of solder potalside | 3.00 | | 5.00 | | | |
| | 4 | | | | | | | |
| uch at world's fail in 1095 1.00 10.00 1.30 15.00 2.00 | | | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| | | uch at world's Pall III 1055 | 1.00 | 10.00 | 1,50 | 15.00 | 2.00 | |





La Fiancee.

Mad. Ducel.

| | Milton Hill (Richardson). Pale lavender-rose. Very large blooms on strong stems of medium height. Late. One of the rare and beautiful sorts | Each | year Doz. | 2-ye Each \$3.00 | Doz. | 3-year Each \$ |
|-----|--|------|--------------|------------------------|-------|----------------------|
| 56 | Mireille (Crousse, 1894). Very large, pure white, with a sweet fragrance. Very free bloomer, and the last white in our collection to | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 106 | bloom | 2.50 | 10.00 | 4.00 | 13.00 | 2,00 |
| 18 | Mlle. Leonie Calot (Calot, 1861). Syn. M. Chas. Leveque. Medium size; clear, soft salmon flesh, with occasional carmine on tip of | 2.30 | | 4.00 | | |
| 249 | petals. Very sweet. Late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 117 | carmine flecks. Fragrant; strong, upright grower. Medium late Mlle. Renee Dessert (Mechin, 1880). Very large, soft lilac blooms, | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 178 | borne in clusters. Very free bloomer, and a choice variety Mlle. Rousseau (Crousse, 1886). Very large silver-white blooms, | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | shading to blush toward the center. Very good habit; free bloomer; delicate and beautiful | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 90 | lighter at edges of petals. Very double; free bloomer in clusters. | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 214 | Mme. Barillet Deschamps (Calot, 1868). Rose-pink, margined white, with rose tints. Medium late. Extra fine sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 215 | Mme. Bollet (Calot, 1867). Clear rose, with light reflects striped with carmine. Strong grower, free bloomer. Very late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 233 | Mme. Breon (Guerin, 1850). Outer petals rose flesh, center cream white to buff when first opening, shading to pure white. Large bloom on strong stems; fragrant. Early | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 119 | Mme. Bucquet (Dessert, 1888). Dark velvety red, almost black. Very showy and a free bloomer | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 150 | Mme. Calot (Miellez, 1856). Blush white tinted with rose. Very large, free bloomer; one of the good sorts. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 154 | Mme. Camille Bancel (Crousse, 1897). Lavender-pink center, shading to salmon. Very large, globular flowers; free bloomer; medium | .75 | 7.50 | 1.50 | 15.00 | 2.00 |
| 175 | late Mme. Chaumy (Calot, 1864). Blush-pink, shaded bright rose, center of petals lighter. Mid-season. | .73 | 3.00 | .50 | 5.00 | .75 |
| 219 | Mme. Coste (Calot, 1873). Light rose, tinted with white, with tufted center. Delicate and beautiful variety. Mid-season | .30 | 3.00 | .50 | 5.00 | .75 |
| | center. Deficate and beautiful variety. Mild-seasoff | .00 | 3,00 | .50 | 5.00 | .10 |





Mad. Geissler.

Mad. Lebon.

| 176 | | 1- Each | year Doz, | 2-ye Each | ar Doz. | 3-year Each |
|-----------|--|------------|---------------|--------------|------------|----------------|
| 177 | bloomer; one of the finest on the list. Mid-season | *** | *= * 0 | 24.00.2 | 40.00 | 04.50 |
| 198 | with salmon. Strong grower; free bloomer. Late | \$0.75 | \$7.50 | \$1.00 \$ | 10.00 | \$1.50 |
| 969 | lighter center, flecked with carmine. Free bloomer and a fine sort. | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 263 | Mme. de Treyeran (Dessert, 1899). Very large, very double; rose- white, mottled with carmine. Tall, erect grower; free bloomer; | 2.00 | | 3.00 | | 4.00 |
| 148 | beautiful. Early. Extra fine | 2.00 | | 3.00 | | 4.00 |
| 130 | Mme. de Verneville (Crousse, 1885). Large blooms of cream white, | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 150 | shading to blush in center, with a touch of carmine. Free bloomer. One of the grand sorts | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 265 | Mme. Ducel (Mechin, 1880). Very large, globular blooms of soft pink mottled with salmon. Dwarf habit, very free bloomer; medium | .00 | 0.00 | | 1.00 | 1,00 |
| 216 | early. A fine sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | lighter in the center. A very attractive and beautiful color. Free bloomer, and one of the finest | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 129 | Mme. Emile Lemoine (Lemoine, 1899). Large, milk-white bloom with touches of carmine on reflex petals. Free bloomer, upright habit; | | | | | |
| 113 | mid-season; extra-fine sort | 1.50 | 15.00 | 2.50 | 25.00 | 3.00 |
| | borne on long, strong stems. Fine upright habit; free bloomer. A splendid sort. Late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 97 136 | Mme. Furtado (Guerin, 1856). Deep rose pink, lighter center. Fine Mme. Geissler (Crousse, 1880). Very large, silvery rose, free bloomer; | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 48 | a grand and attractive flower | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | what lighter petals. Fragrant; free bloomer. Fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | Mme. Lemoine (Calot, 1864). Very large, soft pink blooms. Satiny at center. Very free bloomer, good habit. One of the finest varieties | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 124 | Mme. Lemoinier (Calot, 1865). Very large, full flowers, of a lavender shade. Free bloomer, good habit, choice sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| | | | | | | |





Marie Jaquin.

Mikado

| | 7 7 7 7 70 1 4000 11 1 0 1 1 1 1 1 | | | | | |
|-----|--|--------|-------|-------------|-------------|--------|
| 211 | Mme. Loise Mere (Calot, 1863). Very large, flesh white; blooms on | 1- | year | 2-y | | 3-year |
| | strong, upright stems. Petals sometimes bordered with carmine. | Each | Doz. | Each | | Each |
| 100 | Very late. Choice sort | \$1.00 | 10,00 | \$1.50 | 15.00 | \$2.00 |
| 122 | Mme. Muyssart (Calot, 1869). Large, well-formed blooms of delicate | • | 2.00 | # .O | * 00 | |
| _ | pink. A fine sort. Late | .30 | 3.00 | .50 | 5.00 | .75 |
| 5 | Mme. Regnoux (Dessert, 1909). Large, compact, globular type; vel- | | | | | |
| | vety carmine-pink. Medium height. Strong grower; free bloomer. | | | | | |
| | Mid-season | 2.00 | 20.00 | 3.00 | 30.00 | |
| 62 | Mme. Savreau (Paillet). Large, lilac-white, with a creamy yellow | | | | | |
| | color; center petals flecked with scarlet. Medium early. Very | | | | | |
| | choice sort. Extra good | 2.00 | | 3.00 | | |
| 39 | Modeste Guerin (Guerin, 1845). Solferino red. Fragrant; mid-season. | | | | | |
| | Medium height; strong stems; free bloomer. Extra fine sort | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 92 | Modele de Perfection (Crousse, 1875). Violet-rose; large flower; fra- | | | | | |
| | grant. Free bloomer. Extra good. Late | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 54 | | | | | | |
| | mine. Strong grower; free bloomer; a grand variety | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 3 | Mons. Boucharlataine (Calot, 1868). Very large, well-shaped blooms, | | | | | |
| | on strong, erect stems, colored pure lavender-pink, with carmine | | | • | | |
| | spots on center petals. Rather late; a prize winner | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 261 | Mons. Chevreul (Dessert, 1893). Lavender-rose, very large bloom, on | | | | | |
| | strong, upright stems. Late. Extra good | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 147 | Mons. Dupont (Calot, 1872). Large; pure white, with carmine border | | | | | |
| | on central petals. Free bloomer; late. A fine sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 126 | Mons. Jules Elie (Crousse, 1888). Very large, bomb-shaped flower, | | | | | |
| | on strong, long stems. A free bloomer. Fine. Mid-season | .75 | 7.50 | 1.00 | 10.00 | 1.50 |
| 80 | Mons. Krelage (Crousse, 1883). Solferino red, with silver tips; strong | | | | | |
| | stems. Free bloomer | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 202 | Mons. Martin Cahuzac (Dessert, 1899). Very dark, brilliant red, | | | | | |
| | shaded with maroon. A free bloomer on upright stems. The dark- | | | | | |
| | est of all red peonies | 3.00 | 30.00 | 4.00 | | |
| 110 | Mons. Paul du Ribert (Calot, 1866). Violet-red; a free bloomer; at- | | | | | |
| | tractive sort | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 25 | Mont Blanc (Lemoine, 1899). Clear white with buff center. Very | | | | | |
| | double; rather dwarf habit | 1.50 | 15.00 | 2.00 | 20.00 | |
| 182 | Mrs. Lowe (Richardson). Large; milk-white, very early; free bloomer. | | | | | |
| | Fine for cutting | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 36 | Nivea Plenisima (Makoy, 1840). Pure white guard petals marked | | | | | |
| | with crimson. Free bloomer; dwarf; early; fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | | | | | | |



ABMCO

Modeste Guerin.

Monsieur Jules Elie.

| | | | year | 2-y | | 3-year |
|-----|--|--------|-------------|----------------|-------------|----------------|
| 194 | Noemie Demay (Calot, 1867). Blush pink, large flowers, borne on | Each | Doz. | Each \$1.50 | Doz. | Each \$2.00 |
| 111 | strong stems. Free bloomer and a good sort | \$1.00 | 10.00 | \$1.50 | 15.00 | \$2.00 |
| 111 | lighter petals. Dwarf habit; free bloomer. One of the most dainty | | | | | |
| | and beautiful sorts. Early | .75 | 7.50 | 1.00 | 10.00 | 2.00 |
| 74 | Officinalis Alba Plena. Large double white, the white variety of the | =0 | F 00 | | 5 50 | 1.00 |
| 73 | old red peonies of our grandmother's garden | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 10 | old red peony of our grandmother's garden | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 72 | Officinalis Rubra, Plena. The old double red peony of our grand- | | | | | |
| | mother's garden | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 89 | Officinalis Tenufolia Flora, Plena. The earliest in flower of the peo- | | | | | |
| | nies. Dazzling red, very double, dwarf; foliage cut and lacerated; odd and beautiful | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 13 | | .00 | 0.00 | | | |
| | blooms, on strong stems; a free bloomer, and very late. Excellent | | | | | |
| 105 | sort | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 137 | Papaveriflora (Lemon, 1825). Lavender, with cream-white center, dotted crimson. Good habit; fragrant. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 30 | Pasteur (Crousse, 1896). Blush, shading to white; strong, tall, free | .00 | 5.00 | .10 | 1.00 | 1.00 |
| 00 | blooming sort. Beautiful in bud. Very desirable | .75 | 7.50 | 1.00 | 10.00 | 2.00 |
| 118 | Philomele (Calot, 1861). Outer petals bright rose, center yellow; | | | | | |
| | formed of narrow petals, bordered with carmen. Very odd. Mid- | 50 | E 00 | 75 | 7.50 | 1.00 |
| 242 | Perfection (Richardson). Pale pink, shading to white. Very large, | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 242 | double blooms on upright, strong stems; very late. Extra fine | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 203 | Petite Renee (Dessert, 1899). Outer petals broad, color carmine, | | | | | |
| | with central petals narrower, striped white with golden tips. Very | 4.00 | 40.00 | 4 50 | 4 7 00 | 2.00 |
| 000 | odd and beautiful | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 209 | aranth-red. Strong, vigorous grower; free bloomer; late. Fine | | | | | |
| | variety | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 7 | Pierre Duchartre (Crousse, 1895). Pale lavender blooms on strong, | | | | | |
| | upright stems. Very double; a fine flower | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 14 | Primevere (Lemoine, 1907). Outer petals buff, center sulphur-yellow; large, full blooms on tall, strong stems. Rare and choice | 3.00 | | 5.00 | | |
| 46 | Prince of Wales. Large globular blooms of bright amaranth-red. | 0.00 | | 0.00 | | |
| | Free bloomer, upright habit, medium late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| | | | | | | |







Purpurea Superba.

| 52 | Princess Beatrice (Kelway, 1886). Large, very double flower, outer | 1- | -year | 2-y | ear | 3-year | |
|-----|--|--------|--------|--------|--------|--------|--|
| | petals rose, collar cream-white. Center flecked with carmine. Vig- | Each | Doz. | Each | Doz. | Each | |
| 9.4 | orous grower, free bloomer; fragrant; early | \$0.50 | \$5.00 | \$0.75 | \$7.50 | \$1.00 | |
| 94 | central petals tipped yellow. Mid-season. Fine | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| 251 | Pulcherrima (Guerin, 1840). Lavender-pink shading to salmon in | .00 | 0.00 | .10 | 7.50 | 1.00 | |
| 201 | the center. Free bloomer; dainty and beautiful | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| 32 | Purpurea Superba (Delache, 1855). Large, compact flowers of deep | .00 | 0.00 | | 1.00 | 1.00 | |
| | crimson rose, outer petals marked with white. Very tall; free | | | | | | |
| | bloomer. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| 26 | Queen Victoria (Kelway, 1830). Syn. Whitleyi. Large, compact bloom, | | | | | | |
| | with broad outer petals; opens blush white, shading to pure white. | | | | | | |
| | Center petals marked red. Medium early; a fine cut flower sort | .25 | 2.50 | .50 | 5.00 | .75 | |
| 71 | Rosa Bonheur (Dessert). Violet-rose, outer petals marked with crim- | | | | | | |
| 201 | son; very large flower, borne on erect stems. Mid-season | 2.00 | | 3.00 | | | |
| 204 | Rose d'Amour (Calot, 1857). Very large; soft pink; borne on strong, | 50 | F 00 | 7- | - FO | 1.00 | |
| 2 | long stems; very late and beautiful | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| 2 | stems. Color bright crimson; fragrant. It does not show its merits | | | | | | |
| | until well established. By many considered the most beautiful | | | | | | |
| | peony grown. Very late | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| 208 | Ruy Blas (Dessert). Collar mauve, with silver tips. Dwarf grower, | | 0.00 | | | | |
| | free bloomer; desirable. Mid-season | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| 61 | Sanfoin. Syn. of Edulis Superba. Dark pink, early, free bloomer. | | | | | | |
| | Fine for cut flowers | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| 27 | Sarah Bernhardt (Lemoine, 1906). Mauve rose, petals silver tipped. | 200 | | 2.00 | | | |
| 205 | Tall, erect grower; late; extra fine | .200 | | 3.00 | | | |
| 200 | white. Fragrant; medium height. Early | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| 224 | Solfatare (Calot, 1861). Collar sulphur shading to silver-white. Me- | 1.00 | 10.00 | 1.00 | 10.00 | 2.00 | |
| | dium height. Free bloomer; fine for cut flowers. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| 220 | Glory of Somerset (Kelway). Blush pink, large double flowers, with | | | | | | |
| | sweet fragrance | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 | |
| 94 | Soulange (Lemoine, 1907). Blush-white, with salmon center. Very | | | 2.00 | | | |
| 155 | double, globular flowers with tufted center. Rare and charming. | 4.00 | | 6.00 | | | |
| 157 | Souvenir de Gaspard Calot (Calot, 1865). Shell-pink with soft lilac. | 75 | 7.50 | 1.00 | 10.00 | 2.00 | |
| 81 | Large blooms, very double; upright habit. Very late | .75 | 7.50 | 1.00 | 10.00 | 2.00 | |
| 01 | very double. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 | |
| | The second first f | .00 | 0.00 | .10 | 7.00 | 1.00 | |
| | | | | | | | |






Volcan.

Festiva Maxima in Border Planting

| 59 | Stanley (Crousse, 1879). Flesh-pink, shading to salmon at border of | 1- | year | 2-y€ | ear | 3-year |
|------|--|------------|--------------|--------|---------------|--------------|
| | petals. Base of petals rose color. Free bloomer; delicate and | Each | Doz. | Each | Doz. | Each |
| | | \$1.00 | | \$1.50 | | \$2.00 |
| 187 | Sulfurea. Bomb white, free and fine | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 260 | Sully Proudhomme (Crousse, 1898). Hydrangea-pink fading to milk- | | | | | |
| 4.50 | white; very free bloomer; fragrant; fine for cut flowers | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 179 | Suzanne Dessert (Dessert & Mechin, 1890). Large, full flowers in | | 7.50 | 1.00 | 10.00 | 1.50 |
| 101 | clusters. Clear China-pink; very free bloomer; good habit; snowy. Taglioni. Pink with buff center. Free bloomer. Fine | .75 .50 | 7.50 5.00 | .75 | 10.00 7.50 | 1.50 1.00 |
| 207 | Therese (Dessert, 1904). Light pink, shading to lilac-white in the | .50 | 5.00 | .15 | 1.50 | 1.00 |
| 201 | center. Strong, erect; free bloomer. Mid-season. One of the | | | | | |
| | choicest sorts | 2.00 | | 3.00 | | |
| 112 | Triumph de l'Exposition de Lille (Calot, 1865). Light pink with white | | | | | |
| | reflex. Very free bloomer; fine upright habit; desirable | .75 | 7.50 | 1.50 | 15.00 | 2.00 |
| 77 | Umbellata Rosea (Unknown). Light shell pink; upright habit; free | | | | | |
| | bloomer. Fine for cutting. The earliest Chinese sort in our col- | 50 | 5 00 | | 5 .50 | 1.00 |
| 166 | lection | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 100 | tall; free bloomer. Mid-season, and very fine | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 84 | Victoria Tricolor. Outer petals deep pink, center shaded with yellow | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 0. | and flesh color; upright grower; free bloomer | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 65 | Victor Hugo (Crousse, 1885). Very large carmine-red flowers, borne | | | | | |
| | on strong stems; very free bloomer; a prize winner | .75 | 7.50 | 1.50 | 15.00 | 2.00 |
| 33 | Victoire Modeste (Guerin, 1842). Outer petals rose color, streaked | | | | | |
| | white in center. Collar milk-white with crimson flecks. Very tall, | F0 | F 00 | 7.5 | 7.50 | 1.00 |
| 138 | strong grower; free bloomer. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 190 | pact; tall, strong stems; free bloomer; late and showy variety | .75 | 7.50 | 1.50 | 15.00 | 2.00 |
| 218 | Violacea (Verdier, 1856). Deep violet-purple; large and full; beauti- | | 1.00 | 1.00 | .0.00 | |
| | ful. Very free bloomer | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 246 | Virginie (Calot, 1858). Lively pink; fine shaped bloom. Very free | | | | | |
| 400 | bloomer. Mid-season | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 139 | Virgo Marie (Calot, 1859). Clear milk-white; medium height; upright | FO | F 00 | 75 | 7.50 | 1.00 |
| 160 | growth; late | .50 | 5.00 | .75 | 7.50 | 1.00 |
| 100 | Strong stems and very rare | 1.00 | 10.00 | 1.50 | 15.00 | 2.00 |
| 158 | Walter Faxon (Richardson). Dark rose, darkening toward the center. | 1.00 | 10.00 | 1.00 | 10.00 | 2.00 |
| | Very free bloomer. Stems strong and upright. Mid-season. Rare | | | | | |
| | and beautiful | 3.00 | | 4.00 | | |
| | | | | | | |





For borders the German Iris has no rival.

Amas

The Iris

The grand and royal colors of the flowers of these superb hardy plants, so often softly blended or else intensified in various lines or marks, are not surpassed by those of any garden subject. They are invaluable in the herbaceous borders, both on account of their hardiness and easy culture, and for the lavish wealth of blossoms that crown their numerous stems.

The Iris has justly been called the "Poor Man's Orchid." In curious shapes, in richness and variety of colorings, it is in close rivalry with that exquisite aristocrat among flowers, and what makes it more popular and valuable is that it requires none of the professional care and coddling which the orchid must have.

Varieties can be selected which will grow in almost any kind of soil possessing a fair degree of fertility. Of course, the better the soil, the more satisfactory will be the results.

A good collection of Iris is a garden all by itself. There are several main groups, each having distinctive merits and all combining to make a superb family of hardy plants, not surpassed by anything in the entire world of flowers.

In the case of nearly all of them, when once planted they become permanent, and with a very little care continue to thrive and each year become more and more beautiful, for an almost indefinite period. A little judicious selection in the way of varieties will afford almost continuous bloom during May and June.

The fact that the Iris family presents so much variety in size, habit of growth, variation in foliage, formation and color of bloom, and adaptability to soil, makes it one of the most all around beautiful and useful ornamental plants in cultivation. Most effective plantings may be made, giving wonderful effects either in broad masses, around the margins of ponds or streams, along walks and drives, using as borders for shrubbery, and in many other ways that will suggest themselves to the person of taste. Using those varieties which love very moist situations near the water's edge; those which require a semi-moist soil a little farther from the water, and the taller bearded varieties on higher and dryer ground, while next to the lawn the more dwarf kinds may be used with fine effect, almost blending away into the sod.

For the purpose of this catalog, we will only divide Iris into two general groups: the Iris Germanica or the true Fleur de Lis, and the Japan Iris or Iris Kaempferi. There are, of course, many sub-divisions which we will probably treat of in later catalogs.







German Iris

German Iris

The German Irises are all sun lovers and thrive best in warm, fertile, well-drained soils. Their roots, or more properly, rhizomes, lie near the surface of the ground and require the warming, baking rays of the sun. They will thrive on almost any kind of soil except one which is continuously wet. They may be planted in the early spring, but a more favorable time is the latter part of August to the middle of September. The rhizomes should be barely covered with soil. For best results they should be divided and replanted about every four years. 15c each, \$1.50 doz., \$10.00 hundred.

Admiral Togo. White, margins laced with delicate blue. Rare. 25c each, \$2.00 per doz.

Amas. (Syn. Macrantha). A handsome giant form from Asia Minor; standards rich blue; falls violet. Two feet high. 25 cts.

Asiaticus. Large, purple blue. Very choice.

Aureus. Beautiful clear golden yellow.
Celeste. Large, beautiful sky blue. Fine for cutting.
Clio. Standards lavender, shaded white; falls rich purple, edged white. 15 cts.

Darius. Standards rich canary yellow; falls lilac, margined white; rich orange beard, distinct and very beautiful. 21 inches high. 25 cts.

Dr. Bernice. Standards coppery bronze; falls velvety crimson; very large; attractive. Two ft. high. 25 cts. Fairy. White, delicately bordered and suffused soft blue; beautiful. Two feet high. 25 cts.

Flavescens. Delicate lemon color, free bloomer.
Florentina. Creamy white, faintly flushed lavender.
Gertrude. 34 inches high; standards and falls the

same shade of rare violet blue. 90 cts. clump.

Gracchus. Yellow, with red and white marks on falls. Her Majesty (New). Standards rose pink; falls bright crimson tinged a darker shade; a beautiful

variety. 75 cts.

Honorable. Deep yellow, with mahogany falls. Iris Germanica. 32 inches high; standards violet blue; falls rich purple; very large and fragrant. 40 cts. slump.

Iris Koenig, or Iris King. Standards lemon; falls maroon, edged yellow. 60 cts. single root.

L'Innocence. Pure white, with buff in throat. Mad. Chereau. White, margined with blue facing. Mithras. 38 inches high; standards yellow; falls crimson. A new German introduction. 50 cts.

single root. Mrs. H. Darwin. White, with violet veining. Rather dwarf. Fine

Mrs. Neubronner. Very deep golden-yellow, darker than aurea; very fine. 75 cts.

Pallida Dalmatica. Very large; sky blue. Rare and beautiful. 25c each; \$2.00 per doz.

Pallida Folis Variegata (New). Flowers soft pale blue; foliage beautifully variegated gold and white. 75 cts.

Pallida Speciosa. Tall; blue. Free bloomer.

Queen Emma. 28 inches high; standards and falls waxy white; slight brown reticulation at base of petals. \$1.00 clump.

Queen of May. Very beautiful; soft lilac rose.

Rubella. Standards rose lilac; falls crimson purple.
Three feet high. 15 cts.
Silver King. Early; white. Free bloomer.
Ulysse. 30 inches high; standards dark bronze; falls purple; odd and striking. 40 cts. clump.

Victorine. White, with irregular sp choice. 25c each; \$2.00 per doz. White, with irregular spots of blue. Extra Violet Queen. Standards violet blue; falls violet black. Two feet high. 35 cts.







A field of Japan Iris is a blaze of glorious color.

Double Japan Iris

We have made most careful selection of our collection of these magnificent flowers and can furnish them true to name. Plant latter part of August or early September. Any mellow loam will grow them if well fertilized. They need plenty of moisture in summer, but must not be planted where water will stand over them during the winter. During the growing season the ground must be stirred frequently; never allowed to bake.

25c each, \$2.50 per ten, \$20.00 per hundred.

Antelope. White, flaked red and purple, yellow eye. Anna Boylen. Purplish-blue, with crimson and purple. Diana. White, veined with violet-purple; fine. Dinah. Reddish-pink, flaked with white. Eclaire. White, lightly veined blue, amber throat. Gold Bound. Pure white, base of petals yellow. Gipsie. Lavender and white; fine. Hannibal. White, veined with purple. Hyde Park. Reddish-purple, blotched white. Isabella. Pale blue, turning ash gray. J. C. Vaughan. Dwarf, pure white.

Mahogany. Dark red, shaded maroon.
Mt. Hood. Deep blue; fine.
Orion. Reddish-pink, white center, white veins.
Pyramid. Lilac, blue veined, white center.
Robt. Craig. French gray-white, tinted purple.
Templeton. Light violet, flaked red and white.
Wm. Tell. White, veined indigo; fine. \$1.50 per ten, \$12.00 per hundred.
Zenobia. Purplish-pink, shaded with white. \$1.50 per ten, \$12.00 per hundred.
Mixed colors. \$1.50 per ten, \$12.00 per hundred.

Other Iris

15c each; \$1.50 per dozen.

Pseudacorus. Bright yellow flowers on tall stems. Pumila. Bluish purple; very early. Siberica Alba. White flowers on tall stems. Siberica Orientalis. Blue, fine for cutting. Siberica Silver Queen. Very fine white.
Pallida Variegata. Leaves beautifully variegated with gold and silver; soft blue, fine. 50c each, \$4.00 per doz.



Hardy Perennials

This list of hardy plants includes most of those desirable flowering plants that remain out during winter and come up each spring. They are fine in beds around the outside of back yards next the fence, or as a border to shrubbery. Each year sees them more in favor among those who enjoy a flower garden. The ease with which they may be grown, the endless variety of color, form and fragrance found among them, all contribute to their worth in the garden. Our plants are all field grown, and much superior to the tender plants reared in the green house.

| 12 | distinct | species, | our se | lection | | | | | | | | § | 1.25 |
|------|----------|-----------|--------|-----------|---------|-----|------|------|------|------|--------|---|-------|
| 25 | 6.6 | 44 | " | | | | | | | | ٠. | | 2.25 |
| 100 | assorted | perennial | s, our | selection | | | | | | | | | 7.50 |
| 500 | 6.6 | 44 | 66 | 4.4 | | | | | | | | | 30.00 |
| 1000 | 6.6 | 6.6 | 6.6 | 6.6 | | | | | | | | | 50.00 |
| | | | | 50 | at rate | per | 100. | | | | | | |

ACHILLEA Ptarmica fl. pl. The Pearl (Milfoil).
masse of flowers from June to October. 2 feet
of purest white. 15 cts. each; \$1.50 per dozen. il). Dense feet high;

AQUILEGIA. The Columbines are old favorites that succeed

QUILEGIA. The Columbines are old favorites that succeed in any garden; they are beautiful in flower and foliage. The following are the best:
Canadensis. Our native Columbine; bright red and yellow. chrysantha. The beautiful golden-spurred variety. caerulea. Rocky Mountain Columbine. Blue and white. One of the handsomest of the family.
Erskine Park Hybrid. This strain of Aquilegia originated at Lenox, Mass., by Mr. E. J. Norman, his result of hybridizing the finest of European and American varieties. Colors include blue, lavender, white, yellow, scarlet, pink.

15 cts. each; \$1.50 per dozen; \$10.60 per 100.

ASCLEPIAS tuberosa (Butterfly Weed). One of the showiest of our native perennials; about 2 feet high; blooms from July to September; close, compact heads and brilliant orange-colored flowers

15 cts. each; \$1.50 per dozen.

EMONES, Double and Single. Among the finest flowers for masses of bloom or for cutting. Some of the flowers are 4 inches across. They bloom in great profusion from September to November. 2 to 3 feet high. ANEMONES, Double and Single.

Japonica. Carmine with yellow center.

Japonica alba. A fine large pure white.

Queen Charlotte. Large, semi-double flowers of La France rose pink, a color as rare among flowers as it is beautiful.

Whirlwind. A pure white semi-double variety.
15 cts. each; \$1.50 per dozeu; \$10.00 per 100.

FILBE. Goat's Beard. Herbaceous Sp most beautiful flowers in cultivation. shade; fine for cutting. Herbaceous Spirea. One of the in cultivation. They like partial

astilboides floribunda. White flowers; compact and graceful.
Japonica. The old favorite.
Gladstone. Large, white; new.
palmata elegans. A free-flowering silvery pink form.

50 cts. each; \$5.00 per doz.



BOLTONIA (False Chamomile). Among the showiest of our perennial plants, with large, single aster-like flowers. The plant is in bloom during the summer and autumn months, and its thousands of flowers open at one time, it produces a very fine effect.

asteroides. Pure white; very effective.
latisquama. Pink, slightly tinged with lavender.

15 cts. each; \$1.50 per dozen.

CAMPANULA (Belliflower). Elegant genus; rich in color, profuse in bloom and easy culture.
persicifolin (Peach Bells). Grows 1½ to 2 feet high and produces an abundance of blue, salver-shaped flowers during June and July.
gigantea Moerheimi. A glant new sort with large spikes of double flowers 2 to 2½ inches in diameter. Blooms from the last of May to late in July.
pyramidalis. Most striking border plant; perfect pyramid 4 to 5 feet, covered with large blue flowers in September. rotundifolia (Blue Bells of Scotland). This is the true Harebell or Bluebell famed in song and story; with beautiful clear blue flowers from June to August. 12 inches.

Medium (Canterbury Bells, Cup and Saucer). The finest type of the old-fashioned much prized garden plant.

Medium roseum. Delicate rose pink.

15 cts. each; \$1.50 per dozen; \$10.00 per 100.

CHRYSANTHEMUSI (Moonpenny Daisy).
maximum, Triumph. A strong-growing perennial about 2 feet in height, which continues in bloom from July unit October; flowers daisy-like, 3 to 4 inches in diameter, with a golden center.

Shasta Daisy. Large, snowy white flowers 4 inches across; in blomm all summer and fall.

CHRYSANTHEMUMS (Hardy Pompons).

10 cts. each, \$1.00 per doz., \$7.00 per hundred. 50 at hun-

in blomm all summer and fall.

CHRYSANTHEMUMS (Hardy Pompons).

10 cts. each, \$1.00 per doz., \$7.00 per hundred. 50 at hundred rate, providing not less than 6 of a name are ordered.

Acto. Incurving, bright rose.

Alma. Clear soft lavender pink.

Alena. Fine pink.

Allentown. Bronze yellow.

Baby. Clear bright yellow, very late.

Baby Margaret. Choice white.

Diama. A fine pure white.

Eleganta. Bronze yellow.

Julia Lagravere. Deep red. best of its color; late.

Klondike. Brilliant yellow, compact bloom of medium size.

Lula. Pure snow white of medium size. Late.

Lodi. Bronze yellow.

Lyndhurst. Choice red.

Lula. Pure snow white of medium size. Late.
Lodi. Bronze yellow.
Lyndhurst. Choice red.
Nio. Soft pink and white at center.
Miss Julia. Bronze yellow.
Quinola. Choice yellow.
Rufus. Fine red.
Zenobia. Bright clear yellow. Early.
10 cts. each; \$1.00 per doz.

COREOPSIS lanceolata grandiffora. One of the most popularhardy plants. The flowers are a rich golden yellow of graceful form and invaluable for cutting. The main crop comes during the latter part of June, but it continues in bloom, more or less, the entire summer and autumn.

15 cts. each; \$1.50 per dozen; \$10.00 per 100.

DELPHINIUM (Hardy Larkspur). What is more graceful in the flower bed than the delicate blue Larkspur? Bold, attractive and perfectly hardy, it is of the easiest culture, and will establish itself in almost any garden soil. Plant early in the spring in deep soil in a sunny position. Cut out the old flower spikes as soon as through flowering and a succession of bloom will be the result.
Belladonna. Probably the finest of this fine family; beautiful sky-blue flowers, always in bloom. 2 to 3 feet.
25 cts. each; \$2.00 per doz.
elatum. Blue, with dark center.



Astilbe, Astilboides-Meadow Sweet or Goat's Beard

Chinense. Grows about 18 inches high, and has large open panicles of handsome flowers in all shades of light blue to white.

Erskine Park Hybrids. These choice hybrids were developed from a number of the best English varieties grown by E. J. Norman, of Erskine Park, Lenox, and are sure to please all who see them. They are the most vigorous in growth we have seen, and give a profusion of bloom unsurpassed by any. 20 cts. each; \$2.00 per doz.

formosum. Old favorite dark blue variety; grows 3 to 4 feet high; is in flower almost continuously from June to frost. formosum coelestinum. A new variety of Formosum, of light color and an exquisite bloom.

15 cts. each; \$1.50 per dozen; \$10.00 per 100.

DIANTHUS barbatus (Sweet William). Choice strain of mixed colors. We also offer a strain of dark crimson, and a choice pink.

Dianthus deltoides (Maiden Pink). A low-growing, creeping variety with pink and white flowers; fine for rockery. arenarius (Sand Pink). A single flowering variety of the common garden pink. Very sweet.

plumarius semperflorens. Old favorite hardy garden pinks, bearing sweet, clove-scented flowers in May and June. 15 cts. each; \$1.50 per dozen; \$10.00 per 100.

DICTAMNUS (Burning Bush). Easy culture and very ornamental. Valuable for cutting. rubra and alba. Red and white. 15 cts. each; \$1.50 per dozen; \$1.50 per doze



Hardy Pompon Cbrysanthemums

DICENTRA (Bleeding Heart). Combine a fern-like grace with the flowering qualities of a good hardy perennial. 15 cts. each; \$1.50 per dozen; \$10.00 per 100.

15 cts. each; \$1.50 per dozen; \$10.00 per 100.

DIGITALIS (Foxglove). These well known plants give a wealth of bloom in June and July; are very effective in shrubbery and other half shady places.

ambigua, or graudiffora. Showy flowers of pale yellow, veined brown. July and August.

gloxiniaeflora. Very ornamental; color of the flowers varying from pure white to deep plnk. We offer these in white, purple, lilac, rose and mixed colors.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

DORONICUM excelsum (Leopard's Bane). No plant is more effective than this for early bloom. Orange-yellow flowers 3 to 4 inches in diameter, on stems 18 to 20 inches long. 25 cts. each; \$2.50 per doz.

ERIANTHUS. See Grasses. EULALIA. See Grasses.
FORGET-ME-NOT. See Myosotis.
FOXGLOVE. See Digitalis.

FONGLOVE. See Digitalis.

FUNKIA (Plaintain Lily). The different species are free-flowering, with spikes of bell-shaped flowers, but the chief value is in the foliage.

caerulea. Blue flowers, broad green leaves.

subcordata grandiflora. Pure white, lily-shaped, large, fragrant flowers in clusters. This day lily is very attractive in bed or border. 25 cts. each; \$2.50 per doz.

undulata media picta. Green and white variegated foliage; purple flowers.

Thos. Hogg. Broad, glaucus foliage, white border.

15 cts. each; \$1.50 per doz.; \$10.00 per 100; except where noted.

GRASSES, Hardy Ornamental. These make very attractive

groups.

Erianthus Ravennac. Grows 9 to 12 feet high, frequently throwing up 30 to 50 flower-spikes. Closely resembles the pampas grass. 25 cts. each; \$2.50 per doz.

Eulalia gracillima univittata. Compact in habit; narrow foliage, bright in color, with a silver mid-rib.

Eulalia Japonica variegata. A very ornamental variety. striped green and white, and often yellow; flower stalks 4 to 6 feet high.

Eulalia Japonica ebrina (Zebra Grass). The long blades of this variety are marked with bright yellow bands across the leaf.

15 cts. each; \$1.50 per doz.: \$10.00 per 100; except where

15 cts. each; \$1.50 per doz.; \$10.00 per 100; except where



Heliopsis Pitcheriana-Orange Sunflower



Delphinium-Larkspur

GAILLARDIA grandiflora (Blanket Flower). One of the most effective and showy hardy flowering plants; beginning to flower in June, they continue one mass the entire season; they will thrive in almost any soil, but respond freely to liberal treatment. One flower is often a combination of yellow, orange and deep crimson.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

GYPSOPHILA (Baby's Breath). These beautiful flowers of easiest culture delight in open, rather dry places; they are especially desirable for rock work; also good for covering unkept places with a mass of delicate bloom.

paniculata. A very elegant, light and graceful perenniculata.

delicate bloom.

paniculata. A very elegant, light and graceful perennial; when in bloom during August and September it forms a symmetrical mass, 2 to 3 feet in height, of minute pure white flowers, forming a beautiful gauze-like appearance. Excellent for cutting.

Helenium autumnale superbum. Grand yellow; blooms in September.

H. a. superbum rubrum. New variety, showy red. 25 cts. each; \$2.50 per doz.

HELIANTHUS (Hardy Sunflower). Where large borders are planted, the perennial Sunflowers are among the most effective hardy plants. They are admirably free-flowering, succeed in any soil and are fine for

ultiflorus fl. pl. (Double Hardy Sunflower). Flowers in great profusion during July and August; one of the best. multiflorus fl.

the best.

multiforus maximus. Gigantic single variety, growing

5 to 6 feet high, surmounted by single golden yellow flowers; August and September.

20 cts. each; \$2.00 per doz.

HELIOPSIS Pitcheriana (Orange Sunflower). Growing 2 to 3 feet high; a perpetual bloomer; deep golden yellow, about 2 inches in diameter, very graceful for

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

HIBISCUS. (Rose Mallow). A valuable border plant, having handsome bright leaves and large showy blossoms.

blossoms.

albus (Crimson Eye), Large, showy white flowers; crimson eye. 4 to 5 feet. Blooms in August.

Moscheutos. Purplish red to nearly white, with darker eye; 5 feet; July to September.

roseus. Large, showy rose flowers. 4 to 5 feet.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.



Gypsophila paniculata-Baby's Breath

than a few inches high; grown without difficulty in the rock garden or in rather moist, sandy soil; May and June.

Chalcedonica. A very desirable plant, bearing brilliant, orange-scarlet flowers; 2 to 3 feet high; blooms all summer.

viscaria splendens il. pl. (German Catchfly). Forms a dense tuft of evergreen foliage surmounted by double, deep red, fragrant flowers, remaining in perfection for six weeks, during May and June.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

MONARDA (Bee Balm). Showy flowers of the simplest culture, thriving everywhere. beries. Excellent for naturalizing in woods and shrub-

dynna (Oswego Tea). Robust; about 3 feet high; flowers bright scarlet, continuing to bloom a long time in summer.

15 cts. each; \$1.50 per doz.; \$10.00 per 100. Beautiful alpine plants charming in all ways for rock gardens.

palustris. A variety that is hardly ever out of flower; useful for a shady spot in the border; should be grown in partial shade or as a carpet to taller subjects, in moist, well-drained soil.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

PAPAVER alpinum (Alpine Poppy). This has very beautiful yellow flowers with white centers; similar to Iceland Poppy, but smaller.

nudicaule (Iceland Poppy). Handsome for the rock garden, forming rich masses of cup-like flowers of rich yellow color; 12 to 15 inches high. Should be treated as an annual. Blooms from June to October.

orientale (Oriental Poppy). This is the most showy and noblest of all the Poppies. Effective for borders or in the shrubbery. Scarlet flowers, 6 inches in diameter, borne on stems three feet high.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

PENTSTEMON (Bear Tongue). Most desirable perennials for either border or rockery. They like a friable loam, with a mixture of well-decayed

or rockery. They like a friable loam, with a leaf mold and sharp sand.
leaf mold and sharp sand.
barbatus torreyi. Spikes of brilliant scarlet; very effective; height 2 to 3 feet. June to August.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

PYRETHRUM roseum (Feverfew). Colors range from snow-white to intense scarlet and crimson.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

PLATYCODON (The Balloon Flower). Closely allied to the Campanulas, bearing a succession of flowers from June until October, grandiflorum. Deep blue cupped, star-shaped flowers; 1½ to 2 feet. grandiflorum album. A white-flowered form of the above.

Mariesa. Deep blue, bell-shaped flowers, nearly 3 inches across, on plants

Mariesa. Dee 2 feet high.

15 cts. each; \$1.50 per doz.; \$10.00 per 100. MULA veris superba. Giant form of the English Cowslip, producing individual flowers from 1 to 2 inches across. Color canary-yellow, with golden center 15 cts. each; \$1.50 per doz.; \$10.00 per 100.

HEMEROCALLIS aurantiaca major (Yellow Day Lily).

IEMEROCALLIS aurantiaca major (Yellow Day Lily). New. Japanese variety, with brilliant orange-yellow flowers. Not so hardy as the other sorts.

flava. Few plants can be grown with so little trouble in the border and give such valuable return as this one. It is so fragrant that it is sometimes called the yellow tuberose. The beautiful light green foliage curving gracefully is suitable for banks. Heavy plants.

Florham. Large, yellow, sweet scented flowers during June and July. One of the best.

Kwanso fl. pl. A very free-flowering variety, with double flowers of rich copper color; 3 to 4 feet.

Thunbergii. Lemon-yellow, flowering in July and August. 3 to 4 feet. Excellent for cutting.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

HOLLYHOCK (Althea Rosea). One of the noblest of hardy plants. It is well fitted to break up ugly lines of shrubs or walls by its tall, stately growth. Deep cultivation, much manure and frequent watering in dry weather will secure fine spikes.

Double. Flowers form rosettes of lovely shades of yellow, crimson, rose, pink, orange and white.

Old-fashioned Single. The old time favorites in choice

mixture.
20 cts. each; \$2.00 per doz.; \$15.00 per 100.

LATHYRUS Agnes. A new vining perennial, very hardy, bearing sweet pea shaped blooms on long strong stems; color like apple blossoms. One of the most beautiful perennials. 25 cts. each; \$2.50 per dozen.

LIATRIS. Showy plants, with long spikes of purple and pink

mowers.

mycnostachya (Kansas Gay-feather). This most attractive plant blooms in midsummer; 3 to 4 feet high; rich purple flowers which last for a long time, spicata. Large purple spikes; very compact.

Blanche Noba. Clear lilac; 1 foot. July and August.

15 ets. each; \$1.50 per doz.; \$10.00 per 100.

LOBELIA cardinalis (Cardinal Fower). Grown in an ordinary border this plant has a stunted appearance, but in a good soil, well supplied with moisture, the effect is grand; the most vivid scarlet flowers are borne in great profusion and last a long time; August to September.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

LYCIINIS alpina (Campion; Lamp-flower). A diminutive form of L.



Corcopsis Lanceolata grandiflora—Tickseed

Phlox

Following the Iris and Paeonies in time of bloom, but in no way behind them in popularity, are the Hardy Perennial Phloxes. We have finally succeeded in getting up a good stock of some of the varieties which are always short at planting time. We have weeded out all of the magentas and purples and believe that our list is as select as that offered by any firm. As the first blooms are fading out cut off flower spike and second blooming season will nearly equal the first the and second blooming season will nearly equal the first. Blooming size 15 cts. each; \$1.50 per doz.; \$10.00 per 100. Large clumps, XX, 20 cts. each; \$2.00 per doz. spike

Large clumps, XX, 20 cts. each; \$2.00 per doz.

Agnes. Peach pink seedling originated at our nursery, and pronounced by those who have seen it, most beautiful. Its desirable qualities are: Dwarf, 15 to 18 inches; very late blooming, foliage free from rust, and of a rich metallic hue. 25 cts. each; \$2.00 per doz.

Chas. Darwin. Salmon, with carmine eye.
Eclairenr. Early; rose carmine with light center.

Eiffel Tower. Very fine pink on tall stems.

Etna. Vivid crimson with carmine eye.

F. G. Von Lassburg. Fine, large, pure white.

Gen. Chanzy. Scarlet, with salmon. Fine.

Henri Murger. Very large, white with carmine eye.

Miss Dwyr. White with vivid carmine eye.

Miss Lingard. Very early, white with shiny foliage; free from rust. Blooms all summer. One of the most desirable.

Montagnard. Very large, dark red. Distinct and fine.

Montagnard, Very large, dark red. Distinct and fine M. P. Langier. Beautiful pleasing pink with clean foliage.
Pantheon. Large self pink. A fine sort.
Pyramidalis. Fine, pure white. Excellent for cutting.
Rayonant. White with a broad band of pink through each

petal.

Richard Wallace. Large, pure white, early.

Queen. Pure white.

Pecheur d'Islande. Soft salmon-scarlet, white center.

R. P. Struthers. Bright rosy-red; crimson eye.

Sunshine. Deep salmon-pink; dark eye.

Wm. Goethe. Tyrian-rose; suffused with carmine-lake.

15 ets. each; \$1.50 per doz.; \$10.00 per 100.

RUDBECKIA (Cone Flower). This is the genus to which the Golden Glow belongs—a plant that has been very popular. Much better is the species Newmanii, with flowers of a rich orange-yellow, with the velvety maroon center. They are from 3 to 4 inches in diameter and borne in dense masses from July to late October. The plan is more compact than Golden Glow, growing only 2 to 2½ feet high.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

SEDUM (Stonecrop). Rock and alpine plants, which thrive in nearly every soil. They are beautiful in the border and of the easiest cultivation. S. acre from its creeping foliage called Golden Moss, has bright yellow flowers. S. maximum atropurpureum grows from 1 to 2 feet high, and from the vivid purple stems and leaves makes a showy mass. S. spectabile is distinct and beautiful. Its rosy purple flowers, in dense, broad corymbs, appear in August and last two months. The glaucus foliage forms a pleasing contrast to any highly colored foliage that may stand near it.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.



Sedum spectabile-Stonecrop



Phlox Pyramidalis

STOKESIA, cyanca. This is one of the best blue flowers, blooming from early June to late October. Flowers handsome lavender-blue, 3 to 4 inches in diameter; effective in masses or beds; it grows almost 20 inches high and is of easiest culture.

15 cts. each; \$1.50 per doz.; \$10.00 per 100.

TRITOMA Pfitzeri (Torch Lily). For color effects in orange-scarlet, nothing equals this free-flowering, easily grown plant. The spikes are 3 to 4 feet high, and heads of bloom 10 to 12 inches long.

15 cts. each; \$1.50 per doz.

VERONICA (Speedwell). The Speedwells are mostly natives of New Zealand, flowers being of a blue shade, varying to rose and dull white. They succeed in any garden soil in sunny situations. The low-growing forms are good rock plants.

in sunny situations. The low-growing forms are good rock plants.

alpina. Slender, delicate plant, bearing small blue or violet flowers; adapted to the rock garden.

incana. A dwarf plant with silvery leaves; dark, rich purple flowers.

longifolia subsessilis. A pretty species with blue flowers produced on spikes 1 to 1½ feet long, continuing in bloom the entire summer. 25c each, \$2.50 per doz.

spicata. Fine border plant, about 18 inches high, producing spikes of bright blue flowers in summer.

Except where noted, 15 cts. each; \$1.50 per doz.

VINCA caerulea minor. (Myrtle, or Periwinkle). A blue-flowering, trailing evergreen. Excellent for carpeting the ground under trees where grass will not grow. 25 cts. each; 82.50 per doz.

VIOLA cornuta (Tufted Pansy). These plants are becoming general favorites. If planted in a partially shaded bed they will flower for nearly eight months of the year. While the flowers are not as large as those of the pansy, their bright colors will make them welcome additions to the garden. \$1.00 per doz.; \$7.00 per 100.

YUCCA filamentosa (Adam's Needle). This has no rival in its peculiar habit and style of growth. The effect of Yucca is equal to that of any hot-house plant that may be planted in the open air for the summer while they are green and ornamental at all seasons. The Yuccas are so vigorous that it is almost impossible to kill them. When first planted they die down to the ground, but if left alone, they will renew their growth. 25 cts. each; \$2.50 per doz. Very large, 35 cts. each; \$3.50 per doz.

Cone-bearing Evergreens

| Δ | hi | 20 | | Fir |
|---|----|----|---|-----|
| _ | | _ | - | |

| Abies concolor (Silvery | Fir or Colorado). | Tree of graceful |
|-------------------------|--------------------|--------------------|
| habit; bright, handson | ne foliage, bluish | above, silvery be- |
| neath; very distinct a: | | |
| the best Fir trees, w | | |
| cold. It is very hardy | , grows rapidly ar | d rivals the Nord- |
| manniana in beauty. | | Each |

| | | | Each |
|---|----|---|-----------------------|
| | | | feet\$2.00 |
| | | | feet |
| | | | feet 3.00 |
| | | | feet 4.00 |
| | | | feet |
| 5 | to | 6 | feet 7.00 |
| 6 | to | 8 | feet \$8.00 to\$10.00 |
| | | | |

Juniperus - Juniper Juniperus Sabina (Savin's Juniper). Dwarf-spreading shrub.

| Gro | | | | | | | S | oil | | 1 | eı | ъ | V | alı | ıa | bl | Θ | f | or | 1 | o. | ck | cei | ries, |
|-------|----|------|------|-------|------|-----|----|-----|----|---|----|----|----|-----|-----|-----|----|---|----|---|-----|----|-----|-------|
| bore | | | | | | | | | | | | | | | | | | | | | | | | |
| 1 1/2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 2 1/2 | | | | | | | | | | | | | | | | | | | | | | | | |
| 3 | to | 4 | feet | | | | ٠. | | | | | | ٠. | | | | | | | | | | | 3.50 |
| Japan | Ge | lden | . I | sea i | uti: | ful | 8 | gol | de | n | f | rr | n, | h | ole | dir | ıg | i | ts | c | o l | 01 | r | well |

| thro | ough | the | year. | | | | |
|-------|------|-------|---------|-------|----------|-------------|------------|
| 2 t | 0 3 | feet. | | | | | \$2.50 |
| J ran | and | a (R | ecurva) | Shrub | or emall | tree: leave | e glangons |

| | or billari tree, reares gradoods |
|------------------------------|----------------------------------|
| green with a whitish band | above. |
| 1 to 2 feet | \$1.00 |
| J. Virginiana (Red Cedar). I | Fine for formal planting. |
| 3 to 4 feet | \$1.00 to \$1.50 |

| 4 to 5 feet | | | 1.00 to 2.00 |
|------------------|-------------------|-----------------|--------------|
| 5 to 7 feet. | | | 2.50 to 3.50 |
| J. V. elegantiss | ima (Lee's Golden | Virginian Junip | per). Beau- |
| | hue adorns the | tips of the b | ranches. A |
| rapid grower | of great beauty. | | |

| J. | . 1 | . e | da | uca | (1 | 3lu | е. | Vii | gi | ni | an | a) | О | f | coi | mī | a | et. | (| 01 | nic | al | 7 | nab | it. |
|----|-----|-----|----|-----|-----|-----|-----|-----|----|-----|-----|-----|------|---|-----|----|---|-----|---|----|-----|----|---|--------|-----|
| | 4 | to | 5 | fee | t | | | | | | | | | | | | | | | | | | | . 4. | 00 |
| | 3 | to | 4 | fee | t., | | | | | | | | | | | | | ٠. | | | | | | . \$3. | 00 |
| | 1.9 | .թա | g | LOW | er. | OI | - 8 | rea | .ι | 'nέ | eat | 113 | | | | | | | | | | | | | |

| | | | | ight, | | | | | | | | | | | | | | | | | | | | | | |
|----|---|----|-----|-------|----|-----|-----|---|----|-----|-------|-----|-----|-----|---|----|---|----|----|----|----|----|-----|-----|-----|--------|
| | 2 | to | 3 | feet. | | | | | | | | | | | | ٠. | | | | | | | | | | \$2.00 |
| | | | | feet. | | | | | | | | | | | | | | | | | | | | | | |
| | | | | feet. | | | | | | | | | | | | | | | | | | | | | | |
| J. | x | | che | ottei | Na | rro | ar. | n | vr | a n | n i e | la: | 1 1 | foi | m | 0 | f | Vi | re | in | ia | ns | a : | - 1 | fol | liage |

| J | | | | ottei. | | | | I |) } | 'n | a | n | ηi | d | a) | l | f | 01 | 'n | a | C | f | 7 | V. | ir, | g | ir. | i | a: | n | a: | ; | f | o) | lia | 18 | 3 |
|---|---|-----|---|--------|--|--|------|---|-----|----|---|---|----|---|----|---|---|----|----|---|---|---|---|----|-----|---|-----|---|----|---|----|---|---|-----|------|-----|-----|
| | | | | reen; | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | |
| | 3 | to | 4 | feet | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | . : | \$ 2 | | 5 |
| | 4 | to | ő | feet | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 4 | . (|) |
| | - | + - | 0 | 6006 | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | | 5 | - 6 | 'n. |

Pinus - Pine

| Pinus Cembra | (Swiss | Stone I | Pine). This | is a | . dwarf, | of co | nical |
|--------------|----------|---------|-------------|------|----------|--------|-------|
| growth; ve | ry comp | act and | symmetri | eal. | We con | nsider | this |
| one of the | choicest | dwarf | evergreens | in t | he list. | We | offer |
| a fine stock | | | | | | | |
| | | | | | | | 00 00 |

| 3 to 3½ feet | 9 75 |
|------------------------|------|
| | 4.10 |
| 3 1/4 to 4 feet | 3.75 |
| 4 to 8 feet\$4.50 to 8 | 8.00 |

| P. Mugho (Dwarf Mountain | Pine). A bushy species indigen- |
|---------------------------|---------------------------------|
| | Forms a dense bush and keeps |
| | for many years. This is one of |
| the scarcest varieties in | the market. Our stock is un- |
| usually fine. | Each |

| usuany nne. | Eacr |
|--------------------------------|-------|
| 12 to 15 in\$ 50 per 100 | |
| 15 to 18 in., broad 90 per 100 | |
| 18 to 24 in., broad | 11.75 |
| 2 to 3 feet, broad\$2.00 t | |
| 3 to 5 feet, broad 3.00 t | 5.00 |
| | |

| - 6 | to | 12 | in. | | | | | | . \$ | 3 | 5. | .0(|) : | ре | ľ | 10 |) () | , 1 | V | Vĺ | ee | е, | tra | ansp. | lanted | |
|-----|----|-----|-------|---|------|----|------|--|----------|----|----|------|-----|-----|-----|-----|------|-----|-----|----|-----|-----|-----|-------|--------|--|
| 12 | to | 18 | in. | | | | | | . \$ | 66 | 0. | 00 |) j | ре | r | 10 | 0 (| , 1 | v | νi | ee | e 1 | tra | anspi | lanted | |
| 18 | to | 24 | in | | | | | | | | | . \$ | 2 | 5.0 | 0 | р | eı | . 1 | Lθ | 0, | , . | . 8 | \$ | .40 | \$3.00 | |
| 2 | to | 3 | feet. | | | ٠. | | | | | | | | 40 | ١.(| 0 (| p | eı | • | 10 | 0 | | | .50 | 4.50 | |
| 3 | to | 4 : | feet. | | | | | | | | | | | 65 | 5.1 | 0.0 | p | eı | . : | 10 | 0 (| | . : | 1.25 | 9.00 | |
| 4 | to | 5 | feet. | | | | | | | | | | | | | | | | | | | | . : | 2.00 | 17.50 | |
| 5 | to | 6 | feet. | | | | | | | | | | | | | | | | | | | | . : | 3.00 | 27.50 | |
| 6 | to | 8 f | eet | | | | | | | | | | | | | | | | | | | | | 4.50 | 37.50 | |
| 8 | to | 9 | feet. | | | | | | | | | | | | | | | | | | | | . (| 6.00 | | |
| 9 | to | 10 | feet | ٠ | | | | | | | | | | | | | | | | | | | . ' | 7.50 | | |
| 10 | to | 12 | feet. | | | | | | | | | | | | | | | | | | | | . : | 9.00 | | |

Retinospora

| Retinospora filifera. | Very graceful, | with its | long, | drooping |
|-----------------------|------------------|------------|-------|-----------|
| tips ending in slene | der tassels. The | e color is | most | beautiful |
| green and the sha | pe pyramidal. | | | |

| 2 to 3 feet\$ | 2.00 |
|--------------------------|------|
| 3 to 3½ feet | 2.75 |
| 3½ to 4 feet | 3.50 |
| 4 to 5 feet | 4.50 |
| 5 to 8 feet\$5.50 to \$1 | 0.00 |

R. f. aurea. This is a dwarf golden variety of the preceding; it is the most graceful of all the Retinosporas; scarce and expensive.

| exp | ensi | ve. | | |
|-------|------|-------|------------|---|
| 1 1/2 | to | 2 | feet\$2,00 |) |
| 2 | to | 2 1/2 | feet | į |
| 2 | to | 3 | feet |) |

| 3 | to | 4 | feet |
|---|----|---|--------------------|
| 4 | to | 5 | feet 3.50 |
| 5 | to | 6 | feet |
| 6 | to | 8 | feet\$5.00 to 7.00 |
| ь | ιο | 8 | 1eet\$5.00 to 7.00 |

| R. plumosa. | Light green; | soft, feathery, | plume-like foliage; |
|-------------|--------------|-----------------|---------------------|
| very grace: | | | |
| 12 to 15 i | in | | \$0.50 |

| 18 | to | 24 | in., | .00 |
|----|----|----|----------------|-----|
| | | | ft 2. | |
| 3 | to | 4 | ft | .50 |
| | | | ft 4. | |
| 5 | to | 7 | ft\$5.00 to 7. | .00 |

R. p. aurea. One of the most beautiful golden evergreens at

| | seas | | | | | | |
|-------|------|-------|-------|------|------|--------|--------------|
| | | | | | | | \$1.00 |
| 2 | to | 3 | feet. | | | | 1.75 |
| 3 | to | 3 1/2 | feet. | | | | 2.50 |
| 3 1/2 | to | 4 | feet. | | | | 3.50 |
| 4 | to | 5 | feet. | | | | 4.50 |
| 5 | to | 7 | feet. | | | \$ | 5.00 to 7.00 |
| | | - | | | | | |



Abies concolor-Silver Fir.

Picea - Spruce

Picea Alba (White Spruce). A native tree of medium size, varying in height from 25 to 50 feet. Of pyramidal form; very shapely in appearance. The foliage is silvery gray; one of the hardiest of evergreens, and is adapted to sections where many others would fail. Will thrive in light,

| | | feet\$60.00 per 100\$0.75 |
|-------|------|---------------------------|
| 2 1/2 | to 3 | feet 90.00 per 100 1.25 |
| | | feet |
| 4 | to 5 | feet |

p. g. Kosterl (Koster's Colorado Blue Spruce). This we consider one of the finest native evergreens; in fact, no finer evergreen exists. Foliage of the richest blue or sage color; perfectly hardy everywhere. All our stock is grafted from the original Koster specimen and its descendants, and therefore is alike in color. Seeing the splendid form

| | | | | | | | | | | | | | them. |
|-------|----|-------|-------|------|--------|------|------|------|----|------|----|---|--------|
| | | | | | | | | | | | | | \$3.50 |
| | | | | | | | | | | | | | . 4.00 |
| 3 | to | 3 1/2 | feet. | | ٠. | | | | | | | | . 5.00 |
| | | | | | | | | | | | | | . 6.50 |
| 4 | to | 4 1/2 | feet. | | | | | | | | ٠. | | . 9.00 |
| 4 1/2 | to | 5 | feet. | | | | | | | | | | 12,00 |
| 5 | to | 5 1/2 | feet. | | | | | | | | | | .13.00 |
| 5 1/2 | to | 6 | feet. | | | | | | | | | | 15.00 |
| 6 | to | 7 | feet. | | | | | | ٠. | | | 7 | .20.00 |
| 7 | to | 8 | feet. | | ٠. | | | | · | | | | .25.00 |

P. p. g. pendula. This is the greatest acquisition in conifers in many years. All the branches, even the young shoots, are very drooping; has the same striking blue color as Koster's Blue Spruce.

| 3 | to | 4 | leet \$4.00 |
|-------|----|----------------|-------------|
| 4 | to | 4 1/2 | feet |
| 4 1/2 | to | 5 | feet 6.00 |
| õ | to | $5\frac{1}{2}$ | feet 7.00 |
| 5 1/2 | to | 6 | feet 9.00 |
| 6 | to | 7 | feet |

Tsuga - Hemlock

Tsuga Canadensis (American Hemlock). One of the most beautiful native trees; being especially rapid in growth and absolutely hardy, together with the fact that it transplants easily, makes it a very useful evergreen. Its fine feathery foliage and graceful habit make it a great favorite. The best evergreen for hedge planting. It bears the shears well and may be kept at any size and shape. Thrives in more shade than most evergreens. If allowed



Arborvitae Pyramidalis



Koster's Colorado Blue Spruce

full sunlight, it will hold its lower branches and remain symmetrically furnished from the ground, thus making a

| spr | enai | a la | wn specimen. | Each | 10 |
|-------|------|-------|-------------------|--------|---------|
| 18 | to | 24 i | n\$60.00 per 100. | \$1.00 | \$ 7.50 |
| 2 | to | 2 1/2 | feet | 1.25 | 10.00 |
| | | | feet | | 18.00 |
| 3 1/2 | to | 4 | feet | 2.50 | 22.50 |
| 4 | to | 5 | feet | 3.50 | 32.50 |
| 5 | to | 6 | feet | | 40.00 |
| 6 | to | 8 | feet\$5.00 to | | |

Above prices are for specimens, large and full. We can supply a lighter grade of several of the sizes named at 20 to 30 per cent less; these will answer quite as well for hedges.

Thuja - Arborvitae

Thuja occidentalis lutea (Peabody's Arborvitae). Finest and hardiest of the golden Arborvitaes. Its golden hue is the brightest and most permanent. Makes a fine contrast with darker colored evergreens.

| | 3 | to | 4 | feet | | | | | | | \$2.00 |
|---|---|------|----|---------|-------|-------|-------|--------|---------|--------------|---------|
| | 4 | to | 5 | feet | | | | | | | 3.50 |
| | | | | | | | | | | \$4.00 | |
| r | |). 1 | vi | ramidai | lis C | Pvrai | midal | Arb | orvitae | e). The dee | n green |
| | | | | | | | | | | this species | |
| | | | | | | | | | | evergreens | |
| | | | | ardy a | | | | ****** | other | e.e.g.ee.ns | |

 out the year.
 \$1,00

 18 to 24 in.
 \$1,00

 2 to 3 feet
 1.50

 3 to 3½ feet.
 2.50

 T. o. Vervaeneana. A distinct and handsome yellow variety of the American Arborvitae.
 \$2,50

 4 to 5 feet.
 \$2,50

 5 to 6 feet.
 3.50

 6 to 8 feet.
 \$4,00 to 6.00

The above list of evergreens is merely suggestive and contains only a few of the more valuable sorts. The space in this small catalogue will not permit of a fuller list. We are prepared, however, to supply anything required in either cone-bearing or broad-leaved evergreens, and suggest that you send us your list of wants and we will quote on the entire list, whether catalogued here or not.

We can also supply anything in deciduous trees, ornamental and flowering shrubs, roses, hedge plants, climbing vines, in short anything in the ornamental line for the decorative planting of the home grounds or larger estates. We are also prepared to suggest the proper things to plant, to suggest plans for planting your grounds; or we will take entire charge, prepare plans, grade and prepare your grounds, select stock and do your planting. This plan is by far the most satisfactory and costs but little more in the end than the ordinary haphazzard planting, and is a source of perpetual satisfaction.

EDWIN A. REEVES

Paeony Specialist

General Nurseryman

South Euclid P. O. Cleveland, Ohio



Planting of Retinispora



HE SMALL amount of money and time required to beautify the home grounds with trees, shrubs and plants will give more real pleasure than many times as much spent in other ways. One soon tires of many things for which money is

spent; but the home plot, be it large or small, carefully planted, gets better and better as the years go by, paying constant dividends in satisfaction, as well as adding a real asset readily convertible into cash at any time the owner wishes to sell.